



MX-Sensor_V5.5X Function List For US Market (Note:For reference only)

NOTES:

● This function is supported. ○ This function is not supported. Mark explaining (Red:New, Yellow: Modify)

Special Declaration:

1).All the Automatic Relearn Procedure for MX-Sensor, the drive speed should be controlled between 16 mph (25 km/h) and 64 mph (100 km/h).

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------------|---------|-----------------|-----------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Acura | CSX | 01/2008-12/2012 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | ILX | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | ILX | 01/2013-12/2015 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | MDX | 01/2018-06/2019 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Acura | MDX | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | MDX | 06/2013-12/2015 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | MDX | 01/2007-05/2013 | 315MHz | | ● | A | 315Mhz | Pacific | ● | ● |
| Acura | MDX | 01/2004-12/2006 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | NSX | 01/2016-06/2019 | 433Mhz | | ● | C | 433MHz | Continental | ● | ● |
| Acura | NSX | 01/2017-06/2019 | 315MHz | | ● | C | 315MHz | Continental | ● | ● |
| Acura | RDX | 01/2007-12/2012 | 315MHz | | ● | A | 315Mhz | Pacific | ● | ● |
| Acura | RDX | 01/2018-06/2019 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Acura | RDX | 01/2016-12/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | RDX | 01/2013-12/2015 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | RL | 01/2005-12/2008 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | RL | 01/2009-12/2013 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | RLX | 01/2014-12/2015 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | RLX | 01/2016-06/2019 | 315Mhz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | TL | 01/2005-12/2008 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | TL | 01/2009-10/2012 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Acura | TL | 11/2012-12/2014 | 315MHz | | ● | A | 315Mhz | TRW | ● | ● |
| Acura | TLX | 11/2014-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Acura | TLX | 01/2018-12/2019 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Acura | TSX | 01/2007-12/2008 | 315MHz | | ● | A | 315Mhz | Pacific | ● | ● |
| Acura | TSX | 01/2009-12/2014 | 315MHz | | ● | A | 315Mhz | Pacific | ● | ● |
| Acura | ZDX | 01/2010-12/2015 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Alfa Romeo | 4C | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Alfa Romeo | 4C | 01/2012-12/2016 | 433Mhz | 4C | ● | A | 433Mhz | Schrader | ● | ● |
| Alfa Romeo | 8C | 12/2006-12/2010 | 433Mhz | 920 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Alfa Romeo | Giulia | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Alfa Romeo | Stelvio | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Aston Martin | DB11 | 01/2016-06/2019 | 433Mhz | VH500 | ● | A | 433Mhz | Schrader | ● | ● |
| Aston Martin | DB11 | 01/2017-12/2017 | 315Mhz | | ● | A | 315Mhz | Schrader | ● | ● |
| Aston Martin | DB9 | 01/2005-12/2011 | Smartire 433MHz | | ● | A | 433Mhz | Smartire | ● | ● |
| Aston Martin | DB9 | 01/2009-12/2016 | 433Mhz | AM803 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | DBS | 09/2007-08/2012 | 433Mhz | AM803 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | One-77 | 01/2011-12/2012 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------------|------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Aston Martin | Rapide | 01/2009-06/2019 | 315Mhz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Aston Martin | Rapide | 01/2010-12/2018 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | Rapide S | 01/2014-12/2014 | 315Mhz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Aston Martin | Vanquish | 01/2010-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | Vantage | 01/2007-12/2010 | Smartire 433MHz | | ● | A | 433Mhz | Smartire | ● | ● |
| Aston Martin | Vantage | 01/2010-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | Virage | 01/2011-12/2012 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Aston Martin | Zagato | 01/2011-08/2012 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A3 | 01/2013-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A3 | 01/2006-12/2014 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Audi | A4 | 01/2013-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Audi | A4 | 01/2009-12/2012 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Audi | A4 | 01/2002-12/2008 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A5 | 01/2013-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A5 | 01/2008-12/2012 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Audi | A6 | 01/2012-12/2017 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Audi | A6 | 01/2010-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A6 | 01/2018-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A6 | 01/2006-12/2011 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A6 | 01/2004-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A6 | 01/2002-12/2005 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A6 Allroad | 04/2000-12/2005 | 433Mhz | 4B | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A6 Allroad | 01/2006-12/2011 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A6 Allroad | 07/2017-07/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A6 Allroad | 01/2010-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A6 Allroad | 01/2006-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A6 Allroad | 01/2001-12/2005 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A6L | 05/2004-05/2009 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A6L | 05/2004-05/2009 | 433MHz | 4B | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A7 | 01/2012-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A7 | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A7 Quattro | 01/2012-12/2016 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A8 | 01/2010-12/2015 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A8 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | A8 | 11/2009-12/2018 | 433Mhz | 4H/4L | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A8 | 10/2002-10/2009 | 433Mhz | 4E | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | A8 | 01/1999-12/2009 | 315MHz | 4E/4D | ● | A | 315MHz | Huf/Beru | ● | ● |
| Audi | A8 | 01/1999-09/2002 | 433MHz | 4D | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | Q2 | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | Q2 | 01/2015-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | Q3 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | Q5 | 01/2017-06/2019 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Audi | Q5 | 01/2014-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | Q5 | 01/2009-12/2015 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Audi | Q7 | 01/2005-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------------|-----------------|----------|-----------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Audi | Q7 | 01/2005-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Audi | Q7 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | Q7 | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | R8 | 01/2010-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | R8 | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | R8 Race Car | 01/2013-12/2014 | 315MHz | | ● | C | 315Mhz | Huf/Beru | ● | ● |
| Audi | RS4 | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | RS5 | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | RS6 | 01/2000-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | RS6 | 01/2000-12/2005 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Audi | RS7 | 01/2014-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S3 | 01/2015-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | S4 | 01/2010-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Audi | S4 | 01/2002-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S4 | 01/2002-12/2003 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Audi | S5 | 01/2018-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | S5 | 01/2013-12/2017 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | S5 | 01/2008-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Audi | S6 | 01/2010-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S6 | 01/2004-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S6 | 01/2010-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Audi | S8 | 10/2002-10/2009 | 315MHz | D3 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Audi | S8 | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | S8 | 11/2009-12/2016 | 433MHz | D4 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S8 | 10/2002-10/2009 | 433MHz | D3 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S8 | 01/1999-09/2002 | 433MHz | D2 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | S8 | 01/1999-09/2002 | 315MHz | D2 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Audi | SQ5 | 01/2014-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Audi | TT | 01/2007-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Audi | TT | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | TTS | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Audi | TTS | 01/2009-12/2009 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| BMW | 1 Series | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 1 Series | 10/2010-12/2015 | 433MHz | F20/E82/E88 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 1 Series | 01/2007-09/2010 | 433MHz | E88/E82 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 2 Series | 01/2014-06/2019 | 433Mhz | F22/F23/F45/F46 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 2 Series (HUF) | 01/2014-12/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 2 Series (VDO) | 01/2014-12/2016 | 433MHz | F45/F46 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 3 Series | 01/2014-06/2019 | 433Mhz | F30/F31/F34 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 3 Series | 01/2010-12/2013 | 433MHz | E9x | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series | 01/2000-12/2006 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series | 01/2007-12/2009 | 433MHz | E9x | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series | 01/2000-12/2002 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series | 01/1999-12/1999 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series GT | 03/2014-06/2019 | 433MHz | F34 | ● | A | 433Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------------|-----------------|-----------------------|-------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| BMW | 3 Series GT | 01/2013-02/2014 | 433MHz | F31/F32/F34 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series Sedan | 03/2014-06/2019 | 433MHz | F34 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 3 Series Sedan | 01/2013-02/2014 | 433MHz | F31/F32/F34 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series Sedan | 01/2010-12/2012 | 433MHz | E9x | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series Wagon | 01/2013-02/2014 | 433MHz | F31/F32/F34 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 3 Series Wagon | 03/2014-12/2016 | 433MHz | F34 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 4 Series | 01/2005-02/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 4 Series | 03/2014-06/2019 | F32/F33/F36 433MHz | F32/F33/F36 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 5 Series | 01/2017-06/2019 | 433Mhz | G30 | ● | A | 433Mhz | Schrader | ● | ● |
| BMW | 5 Series | 01/2006-09/2010 | 433MHz | E60/E61 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 01/2003-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 01/2002-12/2002 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 01/1999-12/2001 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 01/2002-12/2002 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 10/2010-02/2014 | 433MHz | F10/F07 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series | 03/2014-12/2016 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | 5 Series GT | 01/2009-12/2010 | 433MHz | E60/E61 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series GT | 01/2011-12/2016 | 433MHz | F10/F07 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series GT | 01/2017-06/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 5 Series GT | 01/2017-06/2019 | 433Mhz | G32 | ● | A | 433Mhz | Schrader | ● | ● |
| BMW | 6 Series | 01/2011-12/2014 | 433MHz | F06/F12/F13 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 6 Series | 01/2015-12/2018 | 433MHz | F12/F13/F06 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 6 Series | 01/2006-12/2010 | 433MHz | E63/E64 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 01/2006-09/2010 | 433MHz | E65/E66 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 06/2015-06/2019 | 433Mhz | G11/G12 | ● | A | 433Mhz | Schrader | ● | ● |
| BMW | 7 Series | 01/2015-05/2015 | 433Mhz | F01/F02 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 10/2010-12/2014 | 433MHz | F01/F02/F04 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 01/2002-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 01/1999-12/2002 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| BMW | 7 Series | 09/1998-12/2001 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | I8 | 01/2013-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | M1 | 01/2011-12/2012 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M2 | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | M3 | 01/2010-12/2013 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M3 | 01/2014-12/2018 | 433Mhz | F80 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | M3 | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M3 | 01/2002-12/2003 | 433Mhz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| BMW | M4 | 01/2015-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | M5 | 01/2016-12/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M5 | 06/2011-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M5 | 01/2006-05/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M5 | 01/2002-12/2003 | 433Mhz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| BMW | M6 | 06/2011-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M6 | 01/2006-05/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | M6 | 01/2016-12/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|-------------------------|-----------------|---------|-------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| BMW | Motorcycle | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| BMW | X1 | 01/2012-12/2014 | 433MHz | E84 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X1 | 01/2015-12/2016 | 433Mhz | E84 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X1 | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | X2 | 01/2016-06/2019 | | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | X3 | 01/2017-06/2019 | G01 | | ● | A | 433Mhz | Schrader | ● | ● |
| BMW | X3 | 11/2010-03/2014 | 433MHz | F25 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X3 | 04/2014-12/2017 | 433Mhz | F25 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X3 | 01/2006-04/2011 | 433MHz | E83 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X4 | 01/2014-06/2019 | 433Mhz | F26 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X5 | 05/2011-12/2013 | 433MHz | E70/F15 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X5 | 01/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| BMW | X5 | 01/2000-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X5 | 01/2006-04/2011 | 433MHz | E70 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X6 | 01/2008-04/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X6 | 05/2011-12/2014 | 433MHz | E71 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | X6 | 01/2015-06/2019 | 433MHz | F16 | ● | A | 433Mhz | Continental | ● | ● |
| BMW | X6 HYBRID | 01/2009-12/2011 | 433MHz | E71 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | Z Series | 01/2006-04/2011 | 433MHz | E85/E86/E89 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | Z Series | 05/2011-12/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | Z Series | 01/2015-12/2017 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| BMW | i3 | 01/2013-06/2019 | 433Mhz | I01 | ● | A | 433Mhz | Continental | ● | ● |
| Bentley | Arnage | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Azure | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Azure | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Bentayga | 01/2017-12/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Bentayga | 01/2015-12/2016 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Brooklands | 01/2008-12/2011 | 433Mhz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Brooklands Coupe | 01/2008-06/2016 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental | 01/2003-12/2004 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental | 01/2005-05/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental | 06/2005-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental | 01/2006-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental | 01/2012-12/2016 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental Flying Spur | 01/2009-12/2011 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Bentley | Continental GT | 09/2003-05/2005 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Continental GT | 01/2005-12/2005 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Bentley | Continental GT | 01/2010-12/2011 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Bentley | Continental GT | 06/2005-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Flying Spur | 01/2011-06/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Flying Spur | 01/2011-12/2015 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Bentley | Flying Spur | 01/2005-12/2010 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Bentley | Flying Spur | 01/2005-12/2010 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | GTC | 01/2012-12/2017 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Mulsanne | 01/2017-06/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|------------|-----------------|----------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Bentley | Mulsanne | 01/2016-12/2016 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Mulsanne | 01/2013-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Mulsanne | 01/2012-12/2012 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Bentley | Mulsanne | 01/2011-12/2012 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bentley | Mulsanne | 01/2009-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Bugatti | Veyron | 01/2009-12/2015 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Buick | Allure | 01/2006-12/2006 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Allure | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Buick | Allure | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Allure | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Allure | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Allure | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Buick | Cascada | 01/2018-06/2019 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Buick | Cascada | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Cascada | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Century | 01/1999-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Enclave | 09/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Enclave | 01/2016-12/2016 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Enclave | 01/2017-12/2018 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Enclave | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Buick | Enclave | 05/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Buick | Enclave | 01/2009-08/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Encore | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Encore | 01/2018-12/2018 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Buick | Encore | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Encore | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Envision | 01/2016-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Envision | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Excele 15N | 01/2015-12/2018 | 433MHz | | ● | S | 433Mhz | DIAS | ● | ● |
| Buick | Excele 18T | 01/2015-12/2018 | 433MHz | | ● | S | 433Mhz | Baolong | ● | ● |
| Buick | GL8 | 01/2017-12/2018 | 433MHz | | ● | S | 433Mhz | Baolong | ● | ● |
| Buick | GL8 | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2008-12/2008 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | LaCrosse | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Buick | LaCrosse | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2016-12/2016 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LaCrosse | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|----------|-------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Buick | LaCrosse | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Buick | LeSabre | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | LeSabre | 01/2000-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Lucerne | 01/2006-12/2006 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Lucerne | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Lucerne | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Lucerne | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Park Avenue | 01/1997-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Park Avenue | 01/2009-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Park Avenue | 01/2006-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Rainier | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Rainier | 01/2006-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Rainier | 01/2006-12/2006 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Buick | Regal | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Regal | 01/1997-12/2004 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Regal | 05/2009-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Regal | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Regal | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Regal | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Rendezvous | 01/2003-12/2007 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Buick | Royaum | 01/2005-12/2008 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Buick | Verano | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Verano | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Buick | Verano | 01/2016-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| CMC | A180 | 07/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| CMC | A190 | 07/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| CMC | VERYCA | 07/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| CMC | ZINGER | 07/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Cadillac | ATS | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Cadillac | ATS | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Cadillac | ATS Sport | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS-L | 01/2014-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS-V | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS-V | 01/2016-12/2016 | 315Mhz | | ● | S | 315Mhz | Continental | ● | ● |
| Cadillac | ATS-V | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ATS-V | 01/2018-06/2019 | 315MHz | | ● | C | 315MHz | Schrader | ● | ● |
| Cadillac | CT6 | 01/2016-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | CT6 | 01/2016-06/2019 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2004-12/2005 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|---------------|-----------------|-----------------|-------------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Cadillac | CTS | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 10/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2018-12/2018 | 315MHz | | ● | C | 315MHz | Schrader | ● | ● |
| Cadillac | CTS | 01/2017-06/2019 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2017-06/2019 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2008-12/2008 | 433Mhz | GMX206/ GMX226 | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | CTS | 01/2007-09/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V | 01/2018-12/2018 | 315MHz | | ● | C | 315MHz | Schrader | ● | ● |
| Cadillac | CTS-V | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V (Sport) | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V (Sport) | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | CTS-V (Sport) | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | DTS | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | DTS | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | DTS | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | DTS | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Deville | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Deville | 01/2001-12/2003 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Deville | 01/2005-12/2005 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ELR | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | ELR | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2015-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 06/2017-12/2018 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Cadillac | Escalade | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Escalade | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Hearse | 01/2001-12/2005 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Cadillac | Limousine | 01/2001-12/2005 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|---------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Cadillac | SLS | 01/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SLS | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SLS | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SLS | 01/2006-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2004-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2005-12/2006 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2012-09/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 10/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 10/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2015-12/2015 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | SRX | 01/2016-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2005-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2009-12/2009 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2009-12/2009 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | STS | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Seville | 01/2001-12/2003 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | Seville | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XLR | 01/2004-12/2005 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XLR | 01/2006-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XLR | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XLR-V | 01/2006-12/2008 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Cadillac | XT5 | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | XT5 | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XT5 | 01/2016-12/2016 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2015-12/2015 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Cadillac | XTS | 01/2018-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| ChangAn | CS35 | 01/2016-12/2017 | 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CS35 | 01/2015-12/2015 | 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CS55 | 01/2017-06/2019 | Hi Confi 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| ChangAn | CS55 | 01/2017-06/2019 | Lo Confi 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| ChangAn | CS75 | 01/2017-06/2019 | 2WD 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CS75 | 01/2017-06/2019 | 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CS75 | 01/2014-12/2016 | 4WD 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| ChangAn | CS75 | 01/2014-12/2016 | 2WD 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CS95 | 01/2017-06/2019 | 433Mhz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | CX70 | 01/2017-06/2019 | 433Mhz | | ● | C | 433MHz | Schrader | ● | ● |
| ChangAn | EADO | 01/2018-06/2019 | 433MHz | | ● | C | 433MHz | BAOLONG | ● | ● |
| ChangAn | LINMAX | 01/2017-12/2018 | 433Mhz | | ● | C | 433MHz | Schrader | ● | ● |
| ChangAn | OuShang | 01/2017-06/2019 | 433Mhz | | ● | C | 433MHz | Schrader | ● | ● |
| ChangAn | Roeton | 04/2013-12/2016 | 433Mhz | | ● | C | 433MHz | Schrader | ● | ● |
| ChangAn | Roeton CC | 01/2017-06/2019 | Lo Confi 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| ChangAn | Roeton CC | 01/2017-06/2019 | Hi Confi 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| Chevrolet | Avalanche | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Avalanche | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Avalanche | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Avalanche | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Chevrolet | Avalanche | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Avalanche | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Avalanche | 01/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Aveo | 01/2012-12/2012 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Aveo | 01/2011-12/2011 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Aveo | 01/2008-12/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Aveo | 01/2002-12/2007 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Bolt EV | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Bolt EV | 01/2017-06/2019 | 433Mhz | | ● | S | 433MHz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2017-06/2019 | Clamp in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2017-06/2019 | Snap in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2016-12/2016 | Snap in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2016-12/2016 | Clamp in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Camaro | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro ZL1 | 01/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro ZL1 | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Camaro ZL1 | 01/2016-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Camaro ZL1 | 01/2018-06/2019 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Chevrolet | Camaro ZL1 | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Caprice | 01/2011-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Caprice | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Caprice | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Captiva | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|-----------|----------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Chevrolet | Captiva | 12/2012-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Captiva | 01/2012-11/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Captiva sport | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Captiva sport | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Captiva sport | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cavalier | 01/2016-12/2018 | 433MHz | | ● | S | 433Mhz | DIAS | ● | ● |
| Chevrolet | Cheyenne | 01/2014-12/2014 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cheyenne | 01/2015-12/2018 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | City Express | 01/2015-12/2018 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cobalt | 01/2008-12/2008 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | Cobalt | 01/2008-12/2008 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cobalt | 01/2009-12/2009 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | Cobalt | 01/2009-12/2009 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cobalt | 01/2010-12/2010 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cobalt | 01/2010-12/2010 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2007-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Colorado | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/1997-12/2000 | 315MHz | C5 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2001-12/2002 | 315MHz | C5 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2003-12/2004 | 315MHz | C5 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2005-12/2009 | 315MHz | C6 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2010-12/2011 | 315MHz | C6 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2012-12/2012 | 315MHz | C6 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2013-12/2013 | 315MHz | C6 | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2014-12/2014 | 433MHz | C7 | ● | A | 433Mhz | Schrader | ● | ● |
| Chevrolet | Corvette | 01/2015-06/2019 | 433MHz | C7 | ● | A | 433Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Grand | 01/2017-12/2018 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Z06 | 01/2001-12/2002 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Z06 | 01/2003-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Z06 | 01/2005-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Z06 | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Corvette Z06 | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cruze | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cruze | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cruze | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Cruze | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|----------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Chevrolet | Cruze | 01/2016-12/2018 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Cruze | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 06/2017-12/2018 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2011-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2017-05/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Equinox | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2018-12/2018 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Express Series | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | Express Series | 06/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | G Series | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR | 01/2009-12/2009 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR | 01/2009-12/2009 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR Panel | 01/2009-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | HHR Panel | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2016-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2016-12/2016 | Limited 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 10/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2000-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Chevrolet | Impala | 01/2013-09/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala Fleet | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Impala Fleet | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2013-06/2014 | 433MHz | V300 | ● | S | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|---------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Chevrolet | Malibu | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 07/2014-12/2015 | 433MHz | V300 | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2016-12/2016 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2013-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 07/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2008-12/2008 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2008-12/2008 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | Malibu | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 01/2010-06/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 07/2011-06/2012 | 433MHz | V300 | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 07/2011-06/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu | 07/2012-12/2012 | 433MHz | V300 | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Malibu Fleet | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu Fleet | 01/2016-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu Hybrid | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Malibu Hybrid | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Monte Carlo | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Monte Carlo | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Monte Carlo | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Monte Carlo | 01/2000-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Chevrolet | Optra | 01/2007-12/2009 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Chevrolet | Orlando | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Orlando | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Orlando | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | SS Sedan | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | SS Sedan | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | SSR | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Chevrolet | Silverado | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 10/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2017-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2009-09/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|-----------|---------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Chevrolet | Silverado DRW | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Silverado DRW | 01/2017-12/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chevrolet | Silverado DRW | 01/2017-12/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Sonic | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Sonic | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Sonic | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Sonic | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark EV | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark EV | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Spark EV | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Chevrolet | Suburban | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Suburban | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Chevrolet | Tahoe | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2017-06/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe Hybrid | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Tahoe Hybrid | 01/2009-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trailblazer | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trailblazer | 01/2007-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Traverse | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Traverse | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Traverse | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Traverse | 01/2017-12/2018 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|--------------------------|-----------------|---------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Chevrolet | Traverse | 01/2017-12/2018 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trax | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trax | 01/2017-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trax | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Trax | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Uplander | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Van | 01/2008-12/2011 | 315Mhz | | ● | S | 315Mhz | Continental | ● | ● |
| Chevrolet | Volt | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Volt | 01/2011-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Volt | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Volt | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Volt | 01/2016-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Chevrolet | Volt | 01/2017-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | 200 | 01/2015-12/2016 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 200 | 01/2012-12/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 200 | 01/2011-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | 200 | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 300 | 01/2007-12/2007 | 433MHz | LX | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 300 | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2016-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2014-12/2015 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2011-12/2013 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2010-12/2010 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2009-12/2009 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 | 01/2008-12/2008 | 433MHz | LX | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 300 | 01/2007-12/2007 | 315MHz | LX | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | 300 | 01/2005-12/2006 | 315MHz | LX | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | 300 SRT | 01/2013-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300 SRT | 01/2010-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300C | 06/2005-05/2010 | 433Mhz | LE48 | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | 300C | 01/2016-06/2019 | 433MHz | | ● | A | 433MHz | Schrader | ● | ● |
| Chrysler | 300C | 01/2014-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | 300C | 01/2006-12/2006 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Chrysler | 300M | 01/2002-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | Aspen | 01/2007-12/2007 | 315MHz | HG | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Aspen | 01/2008-12/2011 | 315MHz | HG | ● | A | 315Mhz | Schrader | ● | ● |
| Chrysler | Aspen | 01/2012-12/2015 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Concorde | 01/2002-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire | 01/2009-12/2011 | 433MHz | ZH | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire | 01/2005-12/2006 | 315MHz | ZH | ● | C | 315Mhz | Continental | ● | ● |
| Chrysler | Crossfire | 01/2005-12/2006 | 433MHz | ZH | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire | 01/2004-12/2004 | 433MHz | ZH | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire | 01/2009-12/2011 | 315MHz | ZH | ● | C | 315Mhz | Continental | ● | ● |
| Chrysler | Crossfire(International) | 01/2007-12/2008 | 315MHz | ZH | ● | C | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|--------------------------|-----------------|---------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Chrysler | Crossfire(International) | 01/2007-12/2008 | 433MHz | ZH | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire (NAFTA) | 01/2007-12/2008 | 433MHz | ZH | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Crossfire (NAFTA) | 01/2007-12/2008 | 315MHz | ZH | ● | C | 315Mhz | Continental | ● | ● |
| Chrysler | Intrepid | 01/2002-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | PT Cruiser | 11/2007-12/2010 | 315MHz | PT | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Pacifica | 01/2003-12/2003 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | Pacifica | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | Pacifica | 01/2004-12/2005 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Pacifica | 01/2006-12/2008 | 315MHz | CS | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Pacifica | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | Prowler | 01/2002-12/2002 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Chrysler | Sebring | 01/2007-12/2010 | 433MHz | JS | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | Sebring | 01/2007-12/2007 | 315MHz | JS | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Sebring | 01/2008-12/2011 | 315MHz | JS | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Town & Country | 01/2002-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Chrysler | Town & Country | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | Town & Country | 01/2014-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | Town & Country | 01/2011-12/2013 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Chrysler | Town & Country | 01/2007-12/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Chrysler | Town & Country | 01/2006-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Town & Country | 01/2004-12/2005 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Chrysler | Voyager | 01/2002-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| DFM | 370 | 01/2016-06/2019 | 433Mhz | | ● | C | 433MHz | SAT | ● | ● |
| DFM | 580 | 01/2016-06/2018 | 433Mhz | | ● | C | 433MHz | SAT | ● | ● |
| DFM | 580 | 01/2017-06/2019 | SA02/SA03 433Mhz | | ● | C | 433MHz | SAT | ● | ● |
| DFM | 580 | 01/2017-06/2019 | SA04 433Mhz | | ● | C | 433MHz | SAT | ● | ● |
| DFM | CM7 | 01/2014-06/2019 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | CM7 | 01/2014-12/2016 | Snap in 433Mhz | | ● | C | 433Mhz | DIAS | ● | ● |
| DFM | DFPV A30 | 01/2017-12/2017 | 433MHz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | DFPV A9 | 01/2016-12/2016 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| DFM | DFPV AX4 | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | DFPV AX5 | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | DFPV AX7 | 01/2015-06/2019 | 433MHz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | F600 | 01/2016-06/2019 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | Jingyi S50 | 01/2014-12/2017 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | Jingyi X5 | 01/2014-06/2019 | Snap in 433Mhz | | ● | C | 433Mhz | DIAS | ● | ● |
| DFM | Jingyi X5 | 01/2014-06/2019 | Clamp in 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | MX5 | 01/2016-12/2017 | 433Mhz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | MX6 | 07/2015-12/2016 | 433Mhz | | ● | C | 433Mhz | Baolong | ● | ● |
| DFM | S500 | 11/2015-12/2017 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | SX6 | 01/2016-06/2019 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| DFM | X6 | 01/2017-06/2018 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|----------------|-----------------|-----------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Dodge | Avenger | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Avenger | 01/2007-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | C/V | 01/2012-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | C/V | 01/2013-12/2014 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | C/V | 01/2015-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Caliber | 01/2007-12/2007 | 315MHz | PM | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caliber | 01/2011-12/2012 | 315MHz | PM | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caliber | 01/2008-12/2009 | 315MHz | PM | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caliber | 01/2010-12/2010 | 315MHz | PM | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caravan | 01/2006-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caravan | 01/2004-12/2005 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Caravan | 01/2002-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2016-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2014-12/2015 | 433MHz | LC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2011-12/2013 | 433MHz | LC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2009-12/2009 | 433MHz | LC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2008-12/2008 | 433MHz | LC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger | 01/2010-12/2010 | 433MHz | LC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Challenger SRT | 01/2016-06/2019 | 433MHz | LD | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2016-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2014-12/2015 | 433MHz | LD | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2011-12/2013 | 433MHz | LD | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2010-12/2010 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2009-12/2009 | 433MHz | LX | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger | 01/2008-12/2008 | 433MHz | LX | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Charger | 01/2007-12/2007 | 315MHz | LX | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Charger | 01/2005-12/2006 | 315MHz | LX | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Charger SRT | 01/2009-12/2009 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger SRT | 01/2010-12/2010 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Charger SRT | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Dakota | 01/2008-12/2010 | Clamp in 315MHz | ND | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Dakota | 01/2008-12/2010 | Snap in 315MHz | ND | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Dakota | 01/2011-12/2011 | 315MHz | ND | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Dart | 10/2012-12/2017 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Durango | 01/2007-12/2008 | 315MHz | HB | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Durango | 01/2009-12/2010 | 315MHz | HB | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Durango | 01/2011-12/2013 | 433MHz | WD | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Durango | 01/2014-12/2015 | 433MHz | WD | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Durango | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Grand Caravan | 01/2016-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Grand Caravan | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Dodge | Grand Caravan | 01/2002-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|-------|--------------------|-----------------|--------------------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Dodge | Grand Caravan | 01/2014-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Grand Caravan | 01/2004-12/2005 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Grand Caravan | 01/2006-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Grand Caravan | 01/2008-12/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Grand Caravan | 01/2011-12/2013 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Intrepid | 01/2002-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Dodge | Journey | 01/2009-12/2009 | 433MHz | JC | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Journey | 01/2010-12/2010 | Hi line 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Journey | 01/2010-12/2010 | Lo Line 433Mhz | JC | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Journey | 01/2011-12/2013 | 433MHz | JC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Journey | 01/2014-12/2016 | 433MHz | JC | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Journey | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Magnum | 01/2005-12/2006 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Magnum | 01/2007-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Magnum | 01/2008-12/2008 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Dodge | Magnum | 01/2009-12/2009 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Magnum | 01/2010-12/2010 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Magnum | 01/2011-12/2011 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Nitro | 11/2006-12/2008 | 315MHz | KA | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Nitro | 01/2009-12/2012 | 315MHz | KA | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | RAM Power Wagon | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | TRW | ● | ● |
| Dodge | RAM Rebel | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | TRW | ● | ● |
| Dodge | Ram Cargo | 01/2015-12/2015 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Ram Promaster | 01/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Ram Promaster City | 01/2015-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Ram Series | 10/2015-12/2017 | DRW | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | Ram Series | 10/2013-06/2019 | 433MHz | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | Ram Series | 01/2010-12/2013 | SCH New 433MHz | D2 | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Ram Series | 01/2009-12/2010 | SCH Old 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Dodge | Ram Series | 01/2008-12/2009 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Dodge | Ram Series DRW | 01/2018-06/2019 | 433MHz Steel wheel | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | Ram Series DRW | 01/2018-06/2019 | 433MHz Alloy wheel | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | Ram Series DRW | 01/2014-12/2017 | 433MHz Steel wheel | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | Ram Series DRW | 01/2014-12/2017 | 433MHz Alloy wheel | | ● | A | 433Mhz | TRW | ● | ● |
| Dodge | SRT Viper | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Dodge | Sprinter | 01/2007-12/2013 | 315MHz | VB | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Stratus | 01/2007-12/2007 | 315MHz | JR | ● | A | 315Mhz | Continental | ● | ● |
| Dodge | Viper | 01/2003-12/2011 | 433MHz | ZB | ● | C | 433Mhz | Schrader | ● | ● |
| Dodge | viper | 01/2013-12/2016 | 433MHz | VX | ● | A | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|----------------|-----------------|-----------------|---------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Dodge | viper | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| FAW | BESTURN B30 | 01/2017-06/2019 | 433MHz | | ● | C | 433MHz | Baolong | ● | ● |
| FAW | BESTURN B50 | 01/2012-12/2016 | Lear 433Mhz | | ● | C | 433MHz | Lear | ● | ● |
| FAW | BESTURN B50 | 01/2012-12/2016 | TRW 433Mhz | | ● | C | 433MHz | TRW | ● | ● |
| FAW | BESTURN B50F | 01/2015-06/2018 | Baolong 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| FAW | BESTURN B70 | 01/2012-12/2016 | Lear 433Mhz | | ● | C | 433MHz | Lear | ● | ● |
| FAW | BESTURN B70 | 01/2012-06/2019 | TRW 433Mhz | | ● | C | 433MHz | TRW | ● | ● |
| FAW | BESTURN B90 | 01/2012-12/2016 | Lear 433Mhz | | ● | C | 433MHz | Lear | ● | ● |
| FAW | BESTURN B90 | 01/2012-12/2016 | TRW 433Mhz | | ● | C | 433MHz | TRW | ● | ● |
| FAW | BESTURN X40 | 01/2017-06/2019 | 433MHz | | ● | C | 433MHz | TRW | ● | ● |
| FAW | BESTURN X80 | 07/2016-06/2019 | Baolong 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| FAW | BESTURN X80 | 01/2013-06/2016 | TRW 433Mhz | | ● | C | 433MHz | TRW | ● | ● |
| FAW | BESTURN X80 | 01/2013-06/2016 | Lear 433Mhz | | ● | C | 433MHz | Lear | ● | ● |
| FAW | BESTURN X80F | 09/2016-06/2019 | Baolong 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| FAW | HongQi H7 | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| FAW | HongQi H7 | 01/2014-12/2017 | 433MHz | | ● | C | 433Mhz | Lear | ● | ● |
| FAW | Junpai D60 | 07/2016-12/2017 | New 433Mhz | | ● | C | 433Mhz | Xiali | ● | ● |
| FAW | Junpai D60 | 10/2014-06/2016 | 433MHz | | ● | C | 433MHz | Xiali | ● | ● |
| FAW | SENIA R7 | 01/2017-06/2019 | Lo Confi 433MHz | | ● | C | 433MHz | Baolong | ● | ● |
| FAW | SENIA R7 | 01/2017-06/2019 | Hi Confi 433MHz | | ● | C | 433MHz | Baolong | ● | ● |
| Ferrari | 458 Italia | 01/2014-12/2016 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 458 Italia | 01/2009-12/2013 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 458 Speciale | 01/2013-12/2016 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 458 Spider | 01/2011-12/2015 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 488 GTB | 01/2015-06/2019 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 488 Spider | 01/2015-06/2019 | 433Mhz | F142 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 550 Maranello | 01/2010-12/2012 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 550 Maranello | 01/1998-12/2002 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 575M Maranello | 01/2002-12/2006 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 599 GTB | 01/2004-12/2012 | 433MHz | F141 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 599 GTO | 01/2004-12/2012 | 433MHz | F141 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 599 SA Aperta | 01/2004-12/2012 | 433MHz | F141 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 612 Scaglietti | 01/2004-12/2011 | 433MHz | F137 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | 812 Superfast | 01/2017-06/2019 | 433MHz | | ● | C | 433MHz | Huf/Beru | ● | ● |
| Ferrari | California | 01/2015-06/2019 | 433MHz | F149 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | California | 01/2008-12/2014 | 433MHz | F149 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | Enzo | 01/2003-12/2009 | 433MHz | F140 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | F12 Berlinetta | 10/2012-12/2017 | 433Mhz | F151/ F152 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | F12 Berlinetta | 10/2012-12/2014 | 315MHz | F151/ F152 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Ferrari | F430 | 01/2008-12/2011 | 433MHz | F131E | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|----------------|-----------------|-------------------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Ferrari | F430 | 01/2005-12/2007 | 433MHz | F131E | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | FF | 01/2011-06/2019 | 433Mhz | F151 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | FF Japan | 01/2011-06/2019 | 315MHz | F151 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Ferrari | FXX | 01/2003-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | GTC4 Lusso | 01/2016-12/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | La Ferrari | 01/2014-06/2019 | 433MHz | F150 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ferrari | Spider | 01/2002-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Fiat | 124 Spider | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Fiat | 500 | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Fiat | 500 | 01/2014-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Fiat | 500 | 01/2011-12/2013 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Fiat | 500C | 01/2015-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Fiat | 500E | 01/2015-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Fiat | 500L | 03/2013-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Fiat | 500L | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Fiat | 500X | 01/2014-12/2016 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Fiat | 500X | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Ford | C-Max | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | C-Max | 01/2013-12/2013 | 315MHz | C344N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | C-Max | 01/2014-12/2016 | 315MHz | C344N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | C-Max | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Crown Victoria | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Crown Victoria | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Crown Victoria | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | E-Series | 01/2009-12/2010 | Band 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | E-Series | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | E-Series | 01/2010-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | E-Series | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | E-Series | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | Ecosport | 07/2017-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Ecosport | 06/2015-06/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2012-12/2012 | 315MHz | U387 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2011-12/2011 | 315MHz | U387 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Edge | 01/2015-06/2019 | 433MHz | CD389 | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2015-12/2017 | 315MHz | CD539N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2013-12/2014 | 315MHz | U387 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Edge | 10/2012-12/2014 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Edge | 01/2007-12/2010 | with Chrome rims 315MHz | U387 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Edge | 01/2007-12/2010 | no Chrome rims 315MHz | U387 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Escape | 01/2013-09/2013 | 315MHz | C520 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2013-12/2013 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Escape | 10/2013-12/2014 | 315MHz | C520 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2005-12/2005 | 315MHz | U204 | ● | S | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------------|-----------------|-------------------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Ford | Escape | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Escape | 01/2014-12/2016 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2011-12/2011 | 315MHz | U377 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2010-12/2010 | 315MHz | U377 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2009-12/2009 | 315MHz | U377 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2008-12/2008 | 315MHz | U377 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Escape | 01/2006-12/2007 | 315MHz | U204 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Escape | 01/2012-12/2012 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2012-12/2012 | 315MHz | U377 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Escape | 01/2016-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Everest | 06/2016-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Exp Sport Trac | 01/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Exp Sport Trac | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Expedition | 01/2011-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2007-12/2010 | with Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Expedition | 01/2007-12/2010 | no Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Expedition | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2013-12/2014 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2003-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2015-12/2015 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Expedition | 01/2018-12/2018 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Explorer | 01/2002-12/2002 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2003-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2005-12/2005 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Explorer | 01/2011-12/2011 | 315MHz | U502 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2011-12/2012 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2012-12/2012 | 315MHz | U502 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2013-09/2015 | 315MHz | U502 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Explorer | 06/2015-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 10/2015-12/2017 | 315MHz | U502 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Explorer | 01/2013-05/2015 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Explorer | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | F-150 | 01/2015-06/2019 | 433MHz | P552 | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | F-150 | 01/2009-12/2010 | 315MHz | P415 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-150 | 01/2011-12/2011 | 315MHz | P415 | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|------|-----------------|-----------------|----------------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Ford | F-150 | 01/2012-12/2014 | 315MHz | P415 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-150 | 01/2012-12/2014 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | F-150 | 01/2015-12/2017 | 315MHz | P552 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-150 | 01/2006-12/2008 | 315MHz | P221 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | F-150 | 01/2018-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-150 HD | 01/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | F-150 HD | 01/2011-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-150 HD | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-Series SD | 01/2007-12/2008 | Banded 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | F-Series SD | 01/2009-12/2010 | Banded 315MHz | | ● | S | 315Mhz | Lear | ● | ● |
| Ford | F-Series SD | 01/2010-12/2010 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-Series SD | 01/2011-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-Series SD | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | F-Series SD | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | F-Series SD DRW | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | F-Series SD DRW | 01/2016-12/2017 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | Fiesta | 01/2011-12/2013 | 315MHz | B299N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fiesta | 01/2014-12/2017 | 315MHz | B299N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fiesta | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | Fiesta ST | 01/2018-06/2019 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Ford | Five Hundred | 01/2006-12/2007 | 315MHz | D258 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Flex | 01/2012-12/2012 | 315MHz | D471 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Flex | 01/2011-12/2011 | 315MHz | D471 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Flex | 01/2009-12/2010 | 315MHz | D471 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Flex | 01/2016-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Flex | 01/2016-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Flex | 01/2013-12/2015 | 315MHz | D471 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Flex | 01/2013-12/2015 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2015-06/2019 | 315MHz | C346N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2014-12/2014 | 315MHz | C346N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2013-12/2013 | 315MHz | C346N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2012-12/2012 | 315MHz | C170 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2010-12/2011 | 315MHz | C170 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus | 01/2008-12/2009 | 315MHz | C170 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Focus | 01/2007-12/2007 | 315MHz | C170 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Focus RS | 01/2018-12/2018 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | Focus RS | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Focus ST | 01/2018-12/2018 | 433MHz | | ● | S | 433MHZ | Schrader | ● | ● |
| Ford | Freestar | 01/2004-12/2004 | 315MHz | V229 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Freestar | 01/2005-12/2005 | 315MHz | V229 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Freestar | 01/2006-12/2007 | 315MHz | V229 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Freestyle | 01/2005-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Fusion | 01/2007-12/2007 | 315MHz | CD338 | ● | S | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|-----------------------|-----------------|----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Ford | Fusion | 01/2008-12/2009 | 315MHz | CD338 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Fusion | 01/2010-06/2012 | 315MHz | CD338 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fusion | 07/2012-06/2013 | 315MHz | CD391 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fusion | 07/2013-12/2016 | 315MHz | CD391 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fusion | 01/2014-12/2016 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Ford | Fusion | 01/2017-12/2017 | 315MHz | CD539N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Fusion | 01/2017-06/2019 | 433MHz | CD389 | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Fusion | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Ford | GT | 12/2017-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Grand Marquis | 01/2007-12/2011 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Interceptor Crown Vic | 01/2006-12/2014 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Interceptor Explorer | 01/2016-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Interceptor Explorer | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Interceptor Explorer | 01/2011-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Interceptor Taurus | 01/2011-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Kuga | 01/2014-06/2019 | 433Mhz | C520 | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mondeo | 01/2015-08/2017 | Snap in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mondeo | 09/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mondeo | 01/2013-12/2014 | Snap in 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mustang | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Mustang | 07/2006-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Mustang | 01/2005-06/2006 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Mustang | 01/2012-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Mustang | 01/2013-12/2014 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mustang | 01/2015-12/2017 | 315MHz | S550 | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Mustang | 01/2015-12/2018 | 433MHz | S550 | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Mustang | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Ranger | 01/2008-12/2011 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Ranger | 01/2006-12/2007 | 315MHz | J97 | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Shelby GT500 | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Shelby GT500 | 01/2013-12/2014 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Shelby GT500 | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Shelby GT500 | 01/2015-12/2017 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Super Duty | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2010-12/2010 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2008-12/2010 | Banded 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Taurus | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2012-10/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 11/2012-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|-----------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Ford | Taurus | 01/2013-10/2015 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Ford | Taurus | 11/2015-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Taurus | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Taurus X | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Ford | Transit | 01/2010-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit Connect | 01/2010-12/2011 | 315MHz | V227N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit Connect | 01/2012-12/2012 | 315MHz | V227N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit Connect | 01/2013-12/2013 | 315MHz | V408N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit Connect | 01/2014-12/2017 | 315MHz | V408N | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Transit Connect | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Ford | Transit LCV | 01/2014-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Ford | Windstar | 01/2001-12/2003 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Foton | Sauvana | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | TTE | ● | ● |
| Foton | Tunland | 01/2011-06/2019 | 433Mhz | | ● | C | 433Mhz | TTE | ● | ● |
| GMC | Acadia | 01/2017-06/2019 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Acadia | 11/2008-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Acadia | 01/2017-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| GMC | Acadia | 01/2016-12/2016 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| GMC | Acadia | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Acadia | 01/2012-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Acadia | 01/2007-10/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| GMC | Canyon | 01/2007-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Canyon | 01/2010-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Canyon | 01/2014-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Canyon | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Envoy | 01/2005-12/2005 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Envoy | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Envoy (SCH) | 01/2007-12/2009 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Envoy (SCH) | 01/2007-12/2009 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Envoy (TRW) | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| GMC | Savana | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| GMC | Savana | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| GMC | Savana | 01/2014-12/2015 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| GMC | Savana | 01/2017-12/2018 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Savana | 01/2018-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| GMC | Savana | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2004-12/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2005-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|----------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| GMC | Sierra | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2017-06/2019 | 433Mhz | XL8 | ● | S | 433Mhz | Schrader | ● | ● |
| GMC | Sierra | 01/2017-06/2019 | 315MHz | XL7 | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra Classic | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra DRW | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra DRW | 01/2017-12/2019 | 433Mhz | XL8 | ● | S | 433Mhz | Schrader | ● | ● |
| GMC | Sierra DRW | 01/2017-12/2019 | 315MHz | XL7 | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra(SCH) | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra(SCH) | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Sierra(TRW) | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| GMC | Terrain | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Terrain | 01/2012-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Terrain | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Terrain | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2009-12/2013 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2014-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2015-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2004-07/2004 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 08/2004-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2007-12/2007 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| GMC | Yukon All | 01/2007-12/2007 | Clamp in 315MHz | | ● | S | 315Mhz | TRW | ● | ● |
| Geely | S1 | 01/2017-06/2019 | 433Mhz | | ● | C | 433MHz | Baolong | ● | ● |
| GreatWall | M4 | 01/2015-12/2017 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | P8 | 08/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | Steed | 01/2015-12/2017 | | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Tracker | 01/2015-12/2017 | | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | VV5 | 01/2017-06/2018 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | VV7 | 01/2017-06/2018 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | Voleex C20 | 01/2015-01/2017 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| GreatWall | Voleex C30 | 01/2014-12/2015 | SAT 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Voleex C30 | 01/2015-12/2017 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Voleex C50 | 01/2015-12/2017 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | Voleex C50 | 01/2011-12/2014 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Wingle 5 | 01/2013-12/2015 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Wingle 5 | 01/2016-12/2017 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| GreatWall | Wingle 6 | 01/2014-12/2015 | SAT 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| GreatWall | Wingle 6 | 01/2016-12/2017 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|-------------|-----------------|------------|-----------------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| HAVAL | H2s NEW | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| HAVAL | H4 | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| HAVAL | H6 Coupe | 06/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| HAVAL | H6 NEW | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| HAVAL | H7L | 06/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H1 | 01/2014-12/2017 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H2 | 01/2014-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H2S | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H5 | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| Haval | H5 | 01/2010-12/2016 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| Haval | H5 Classics | 01/2015-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H6 | 01/2011-12/2018 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| Haval | H6 Coupe | 01/2015-12/2016 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H7 | 01/2016-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H8 | 01/2013-12/2018 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H9 | 01/2014-06/2018 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | H9 | 01/2014-06/2018 | SAT 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| Haval | M2 | 01/2014-12/2015 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Haval | M6 | 01/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | SAT | ● | ● |
| Holden | Astra J | 06/2014-12/2014 | 433Mhz | GM P3400 | ● | C | 433Mhz | Schrader | ● | ● |
| Holden | Astra J | 01/2009-09/2011 | 433Mhz | GM P3400 | ● | C | 433Mhz | Schrader | ● | ● |
| Holden | Astra J | 10/2011-05/2014 | 433Mhz | GM P3400/ GM A3300 | ● | C | 433Mhz | Schrader | ● | ● |
| Holden | Astra J | 01/2015-09/2015 | 433Mhz | GM P3400 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Astra K | 10/2015-12/2017 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Captiva | 06/2006-12/2008 | 433Mhz | C100 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Captiva | 01/2009-12/2011 | 433Mhz | C100 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Captiva | 01/2012-12/2017 | 433Mhz | C100 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Colorado | 07/2011-12/2012 | 433Mhz | GMI700 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2017-05/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2011-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 06/2017-06/2019 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Holden | Equinox | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Equinox | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Spark | 07/2009-12/2012 | 433Mhz | M1JC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Spark | 01/2013-12/2014 | 433Mhz | M1JC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Spark | 01/2015-12/2015 | 433Mhz | M1JC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Spark | 01/2016-06/2019 | 433Mhz | M1JC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trailblazer | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Trailblazer | 01/2001-12/2005 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trailblazer | 01/2007-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Trailblazer | 01/2009-12/2009 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|-----------------|-----------------|-----------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Holden | Trailblazer | 01/2013-12/2014 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trailblazer | 01/2006-12/2008 | 433Mhz | GMT360 | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2015-06/2019 | 433Mhz | G1UC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2012-12/2012 | 433Mhz | G1UC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2013-12/2014 | 433Mhz | G1UC | ● | S | 433Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2013-12/2014 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Holden | Trax | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Honda | Accord | 01/2008-12/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Honda | Accord | 01/2013-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | CR-V | 01/2014-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | CR-V | 01/2012-12/2014 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Honda | CR-V | 01/2007-12/2011 | Alloy/Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Honda | CR-Z | 01/2016-12/2016 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Honda | CR-Z | 01/2011-12/2017 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Civic | 01/2008-12/2011 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Civic | 01/2012-12/2014 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Civic | 01/2014-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | Clarity | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | Crosstour | 01/2010-12/2015 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Honda | Element | 01/2006-12/2007 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Element | 01/2008-12/2008 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Element | 01/2009-12/2011 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Fit | 01/2008-12/2008 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Honda | Fit | 01/2009-12/2014 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Fit | 01/2015-12/2017 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | Fit | 01/2018-12/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | GL1800 | 01/2009-12/2015 | MOTOR Cycle 315MHz | | ○ | S | 315MHz | Continental | Activate Only | ● |
| Honda | Goldwing | 01/2009-12/2015 | MOTOR Cycle 315MHz | | ○ | S | 315MHz | Continental | Activate Only | ● |
| Honda | HR-V | 09/2014-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Honda | HR-V CROSSOVER | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Honda | Insight | 05/2009-12/2014 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | NSX | 01/2016-06/2019 | Direct 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Honda | Odyssey | 01/2006-12/2007 | 315MHz | EX/EX-L | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey | 01/2008-12/2010 | 315MHz | EX/EX-L | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey | 01/2011-06/2019 | 315MHz | EX/EX-L | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey | 01/2018-06/2019 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Honda | Odyssey Touring | 01/2005-12/2007 | 315MHz | TOUR | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey Touring | 01/2008-12/2010 | 315MHz | TOUR | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey Touring | 01/2011-06/2019 | 315MHz | TOUR | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Odyssey Touring | 01/2018-06/2019 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|---------|-----------------|-----------------|-----------------|------------|--------------------|---|-----------|---------------------|------------------------------|---------------------------|
| Honda | Pilot | 01/2009-12/2015 | Alloy 315MHz | | ● | A | 315Mhz | Pacific | ● | ● |
| Honda | Pilot | 01/2005-12/2005 | Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Pilot | 01/2005-12/2005 | Alloy 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Pilot | 01/2006-12/2008 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Pilot | 01/2009-12/2015 | Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Honda | Pilot | 01/2016-12/2017 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Honda | Pilot | 01/2018-06/2019 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Honda | Ridgeline | 01/2017-12/2019 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Honda | Ridgeline | 01/2006-12/2008 | Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Ridgeline | 01/2009-12/2014 | Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Ridgeline | 01/2016-06/2019 | Steel 315MHz | | ● | C | 315MHz | TRW | ● | ● |
| Honda | Ridgeline | 01/2009-12/2014 | Alloy 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Ridgeline | 01/2006-12/2008 | Alloy 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Honda | Ridgeline | 01/2017-06/2019 | Alloy 315MHz | | ● | C | 315MHz | TRW | ● | ● |
| Honda | S2000 | 01/2008-12/2009 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Hummer | H2 | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hummer | H2 | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hummer | H2 | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hummer | H3 | 01/2007-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hummer | H3 | 01/2006-12/2006 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hummer | H3T | 01/2006-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Hyundai | Accent | 01/2012-12/2014 | 315MHz | RB | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Accent | 01/2015-12/2019 | Low-Line 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Accent | 01/2015-12/2019 | Hi-Line 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Accent | 01/2008-12/2011 | 315MHz | Steel | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Accent | 01/2006-12/2007 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Azera | 01/2007-12/2011 | 315MHz | TG | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Azera | 01/2012-12/2014 | 315MHz | HG | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Azera | 01/2014-06/2019 | 433MHz | HG | ● | C | 433Mhz | TRW | ● | ● |
| Hyundai | Elantra | 01/2007-12/2010 | 315MHz | HD | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Elantra | 01/2011-07/2014 | 315MHz | UD/MD | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Elantra | 08/2014-06/2019 | 315MHz | | ● | A | 315MHz | TRW | ● | ● |
| Hyundai | Elantra | 01/2016-06/2019 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Hyundai | Elantra GT | 01/2013-12/2015 | 315MHz | GD | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Elantra GT | 01/2015-12/2015 | 433MHz | | ● | C | 433MHz | Continental | ● | ● |
| Hyundai | Elantra GT | 01/2016-06/2017 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Elantra GT | 06/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Elantra GT | 07/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Elantra Touring | 01/2009-12/2012 | 315MHz | FD | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Entourage | 01/2007-12/2010 | 315MHz | EP | ● | C | 315Mhz | Beru | ● | ● |
| Hyundai | Equus | 01/2014-12/2016 | 433MHz | HI | ● | A | 433MHz | Continental | ● | ● |
| Hyundai | Equus | 01/2015-06/2016 | 315MHz | VI | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Equus | 01/2011-12/2014 | 315MHz | VI | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Genesis Coupe | 01/2010-12/2012 | 315MHz | BK | ● | C | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|----------------|-----------------|-------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Hyundai | Genesis Coupe | 01/2013-12/2016 | 315MHz | BK | ● | C | 315MHz | Continental | ● | ● |
| Hyundai | Genesis G80 | 07/2016-06/2019 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Genesis G90 | 07/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Genesis Sedan | 01/2009-12/2014 | 315MHz | BH | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Genesis Sedan | 01/2015-06/2016 | 433MHz | DH | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Ioniq | 01/2016-12/2019 | 433MHz | AE | ● | C | 433Mhz | Continental | ● | ● |
| Hyundai | Kona | 01/2018-12/2019 | | | ● | C | 433MHz | Continental | ● | ● |
| Hyundai | Santa Fe | 01/2006-12/2007 | 315MHz | CM | ● | C | 315Mhz | Beru | ● | ● |
| Hyundai | Santa Fe | 01/2008-12/2008 | Lo Line 315MHz | CM | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Santa Fe | 01/2008-12/2008 | Hi line 315MHz | CM | ● | C | 315Mhz | Beru | ● | ● |
| Hyundai | Santa Fe | 01/2009-12/2009 | 315MHz | CM | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Santa Fe | 01/2010-12/2012 | 315MHz | CM | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Santa Fe | 01/2015-12/2019 | 315MHz | NC | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Santa Fe | 01/2018-06/2019 | 433MHz | NC | ● | C | 433MHz | Continental | ● | ● |
| Hyundai | Santa Fe | 01/2013-12/2014 | 315MHz | NC | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Santa Fe Sport | 01/2013-12/2014 | 315Mhz | DMA | ● | C | 315MHz | Continental | ● | ● |
| Hyundai | Santa Fe Sport | 01/2015-06/2019 | 315MHz | DMA | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Sonata | 01/2008-12/2008 | FM Lo Line 315MHz | NF | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Sonata | 01/2009-12/2009 | Lo Line 315MHz | NF | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Sonata | 01/2010-12/2013 | 315MHz | YF | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Sonata | 01/2014-12/2016 | 315MHz | YF | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Sonata | 01/2015-06/2019 | 433MHz | LFA | ● | C | 433Mhz | Schrader | ● | ● |
| Hyundai | Sonata | 01/2006-12/2007 | Lo Line 315MHz | NF | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Sonata | 01/2008-12/2008 | AM Lo Line 315MHz | NF | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Sonata Hybrid | 01/2015-06/2019 | 315MHz | YF HEV | ● | C | 315Mhz | Continental | ● | ● |
| Hyundai | Tiburon | 01/2008-12/2008 | Lo Line 315MHz | GK | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tiburon | 01/2007-12/2007 | Lo Line 315MHz | GK | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tucson | 01/2006-12/2007 | 315Mhz | JM | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tucson | 01/2008-12/2009 | 315Mhz | JM | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tucson | 01/2010-03/2014 | 315Mhz | LM | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tucson | 04/2014-12/2014 | 315MHz | LM | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Tucson | 01/2016-06/2019 | 433MHz | TL | ● | C | 433Mhz | Schrader | ● | ● |
| Hyundai | Tucson | 01/2015-12/2015 | 315MHz | LM | ● | C | 315Mhz | TRW | ● | ● |
| Hyundai | Veloster | 01/2012-12/2019 | 315MHz | FS | ● | A | 315Mhz | Schrader | ● | ● |
| Hyundai | Veracruz | 01/2008-12/2012 | Lo Line 315MHz | EN | ● | C | 315Mhz | Lear | ● | ● |
| Hyundai | Veracruz | 01/2006-12/2008 | Hi line 315MHz | EN | ● | C | 315Mhz | Beru | ● | ● |
| Hyundai | Veracruz | 01/2013-12/2013 | Lo Line 315MHz | EN | ● | C | 315Mhz | TRW | ● | ● |
| Infiniti | EX Series | 01/2008-12/2008 | 315MHz | J50 | ● | C | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|------------|-----------------|--------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Infiniti | EX Series | 01/2009-12/2010 | 315MHz | J50 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | EX Series | 01/2011-12/2013 | 315MHz | J50 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | FX Series | 01/2003-12/2008 | 315MHz | S50 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | FX Series | 01/2009-08/2010 | 315MHz | S51 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | FX Series | 09/2010-12/2013 | 315MHz | S51 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | G Series | 01/2008-07/2010 | 315MHz | V36 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | G Series | 08/2010-12/2013 | 315MHz | V36 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | G Series | 01/2007-12/2007 | Coupe 315MHz | V36 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | G Series | 01/2007-12/2007 | Sedan 315MHz | V36 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | G Series | 01/2003-12/2006 | 315MHz | V35 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | JX35 | 01/2013-12/2013 | 433MHz | L50 | ● | C | 433Mhz | Continental | ● | ● |
| Infiniti | M Series | 01/2003-12/2007 | 315MHz | Y34 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | M Series | 01/2011-12/2013 | 315MHz | Y51 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | M Series | 01/2008-12/2010 | 315MHz | Y50 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | Q25 | 01/2011-12/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | Q30 | 01/2015-06/2019 | 433MHZ | GD1A/H15 | ● | A | 433Mhz | Schrader | ● | ● |
| Infiniti | Q40 | 01/2015-06/2018 | 315MHz | V36 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | Q45 | 01/2003-12/2006 | 315MHz | F50 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | Q50 | 07/2013-12/2015 | 315MHz | V37 | ● | C | 315Mhz | Continental | ● | ● |
| Infiniti | Q50 | 01/2016-06/2019 | 433MHZ | V37 | ● | C | 433MHZ | Continental | ● | ● |
| Infiniti | Q60 | 01/2014-12/2016 | 315MHz | CV36/HV36 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | Q60 | 05/2016-06/2019 | 433MHZ | CV37 | ● | C | 433MHZ | Continental | ● | ● |
| Infiniti | Q70 | 01/2014-06/2019 | 315MHz | Y51 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | Q80 | 01/2017-06/2019 | 433MHz | | ● | C | 433MHZ | Pacific | ● | ● |
| Infiniti | QX30 | 01/2016-06/2019 | 433MHz | GD1A/H15 | ● | A | 433Mhz | Schrader | ● | ● |
| Infiniti | QX4 | 01/2003-12/2003 | 315MHz | JR50 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | QX40 | 01/2003-12/2003 | 315MHz | JR50 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | QX50 | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Infiniti | QX50 | 01/2013-12/2017 | 315MHz | J50 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | QX56 | 01/2004-12/2007 | 315MHz | JA60 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | QX56 | 01/2008-05/2010 | 315MHz | JA60 | ● | C | 315Mhz | Schrader | ● | ● |
| Infiniti | QX56 | 06/2010-12/2013 | 315MHz | Z62 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | QX60 | 01/2014-06/2019 | 433MHz | L50 | ● | C | 433Mhz | Continental | ● | ● |
| Infiniti | QX70 | 01/2014-06/2019 | 315MHz | S51 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | QX80 | 01/2014-12/2016 | 315MHz | Z62 | ● | C | 315Mhz | Pacific | ● | ● |
| Infiniti | QX80 | 08/2016-12/2017 | 433MHz | Z62 | ● | C | 433MHZ | Pacific | ● | ● |
| Infiniti | QX80 | 01/2018-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Isuzu | Ascender | 01/2006-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Isuzu | Rodeo | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Isuzu | i-290 | 01/2007-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Isuzu | i-370 | 01/2007-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| JAC | J6 | 01/2015-12/2015 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | J6 A30 | 01/2015-12/2015 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | J6 B15 | 01/2012-12/2016 | 433MHz | | ● | C | 433Mhz | JAC | ● | ● |
| JAC | Refine A60 | 01/2015-12/2017 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|-------------|-----------------|---------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| JAC | Refine M2 | 01/2015-12/2015 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine M4 | 01/2015-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine M5 | 01/2016-12/2017 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine M6 | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine R3 | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine S2 | 01/2015-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine S3 | 01/2014-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine S5 | 01/2015-12/2015 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | Refine S7 | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| JAC | T6 | 01/2015-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Jaguar | E-Pace | 06/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | F-Pace | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | F-Type | 01/2014-12/2017 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | F-Type | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | F-Type | 01/2014-12/2016 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | I-Pace | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | S-Type | 01/2008-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | S-Type | 01/2005-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | S-Type | 01/2005-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | Super V8 | 01/2005-12/2006 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | Super V8 | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | Super V8 | 01/2005-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | Vanden Plas | 01/2004-12/2006 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | Vanden Plas | 01/2004-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | Vanden Plas | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | X-Type | 01/2007-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | X-Type | 01/2008-12/2008 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XE | 01/2014-12/2016 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XE | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XF | 01/2016-09/2016 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XF | 01/2009-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XF | 01/2009-12/2016 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | XF | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XF | 10/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XFR | 01/2010-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | XJ | 01/2016-06/2019 | 433Mhz | X351 | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XJ | 01/2012-12/2016 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | XJ | 01/2012-12/2015 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XJ | 01/2004-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | XJ | 01/2004-12/2011 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XK | 01/2006-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XK | 01/2010-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jaguar | XK | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jaguar | XK | 01/2005-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Cherokee | 10/2013-11/2015 | 433MHz | KL | ● | A | 433Mhz | TRW | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|---------------------|-----------------|---------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Jeep | Cherokee | 12/2015-06/2019 | 433MHz | KL | ● | A | 433Mhz | TRW | ● | ● |
| Jeep | Commander | 01/2008-12/2011 | 433MHz | XK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Commander | 01/2006-12/2007 | 315MHz | XK | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Compass | 01/2007-12/2007 | 315MHz | MK49 | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Compass | 01/2008-12/2009 | 315MHz | MK49 | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Compass | 01/2010-12/2011 | 315MHz | MK49 | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Compass | 01/2012-12/2016 | 315MHz | MK49 | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Compass | 01/2015-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Compass | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Jeep | Compass | 01/2017-06/2019 | 433MHz | MP/MX | ● | A | 433Mhz | Continental | ● | ● |
| Jeep | Compass (SCH) | 01/2012-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Compass (VDO) | 05/2006-12/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jeep | Grand Cherokee | 01/2001-12/2004 | 433MHz | WK | ● | S | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 05/2004-12/2006 | 315MHz | WK | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Grand Cherokee | 01/2007-12/2007 | 315MHz | WK | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 01/2008-06/2010 | 433MHz | WK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 07/2010-12/2010 | 433MHz | WK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 01/2011-12/2011 | 433MHz | WK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 01/2012-12/2013 | 433MHz | WK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 01/2014-12/2015 | 433MHz | WK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee | 01/2016-06/2019 | 433Mhz | WK | ● | A | 433Mhz | Continental | ● | ● |
| Jeep | Grand Cherokee SRT8 | 08/2011-12/2013 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee SRT8 | 01/2014-12/2014 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee SRT8 | 01/2015-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Grand Cherokee SRT8 | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Jeep | Liberty | 01/2007-12/2009 | 315MHz | KJ | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Liberty | 01/2009-12/2009 | 433MHz | KK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Liberty | 01/2010-12/2012 | 315MHz | KK | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Liberty | 01/2002-12/2004 | 433MHz | KJ | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Liberty | 01/2005-12/2006 | 315MHz | KJ | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Patriot | 01/2007-12/2016 | 315MHz | MK | ● | A | 315Mhz | Continental | ● | ● |
| Jeep | Patriot | 05/2013-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Patriot | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Jeep | Renegade | 01/2015-12/2016 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Jeep | Renegade | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Jeep | Wrangler | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Jeep | Wrangler | 01/2007-12/2009 | 315MHz | JK | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Wrangler | 06/2008-12/2009 | 433MHz | JK | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Wrangler | 01/2010-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Jeep | Wrangler | 01/2010-12/2012 | 315MHz | JK | ● | A | 315Mhz | Schrader | ● | ● |
| Jeep | Wrangler | 01/2013-12/2016 | 433MHz | JK | ● | A | 433Mhz | Schrader | ● | ● |
| KIA | Amanti | 01/2007-12/2007 | 315MHz | GH | ● | C | 315Mhz | TRW | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------|----------|-----------------|----------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| KIA | Amanti | 01/2008-12/2008 | 315MHz | GH | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Amanti | 01/2009-12/2009 | 315MHz | GH | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Amanti | 01/2010-12/2011 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Borrego | 01/2009-12/2011 | 315MHz | HM | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Cadenza | 01/2014-12/2016 | 315MHz | VG | ● | C | 315Mhz | Continental | ● | ● |
| KIA | Forte | 05/2013-12/2015 | 315MHz | YD | ● | A | 315Mhz | TRW | ● | ● |
| KIA | Forte | 01/2010-04/2013 | 315MHz | TD | ● | C | 315Mhz | Continental | ● | ● |
| KIA | Forte | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| KIA | K900 | 01/2015-06/2019 | 433MHz | KH | ● | C | 433MHz | Schrader | ● | ● |
| KIA | Magentis | 01/2008-12/2010 | 315MHz | | ● | C | 315Mhz | Lear | ● | ● |
| KIA | Mohave | 01/2009-12/2009 | Hi Line 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Niro | 01/2016-06/2019 | 433MHZ | | ● | C | 433MHz | Continental | ● | ● |
| KIA | Optima | 01/2016-12/2017 | 433MHZ | JF/JFA | ● | C | 433MHz | Continental | ● | ● |
| KIA | Optima | 01/2017-06/2019 | Hybrid 433MHz | Hybrid | ● | C | 433MHz | Continental | ● | ● |
| KIA | Optima | 01/2018-12/2019 | 433MHZ | JF/JFA | ● | A | 433MHz | Continental | ● | ● |
| KIA | Optima | 01/2014-12/2015 | 315MHz | TF/QF | ● | C | 315Mhz | Continental | ● | ● |
| KIA | Optima | 01/2016-12/2016 | Hybrid 315MHz | Hybrid | ● | C | 315MHz | Continental | ● | ● |
| KIA | Optima | 01/2011-12/2013 | 315MHz | TF/QF | ● | A | 315Mhz | Continental | ● | ● |
| KIA | Optima | 01/2006-12/2010 | 315MHz | MG | ● | C | 315Mhz | Lear | ● | ● |
| KIA | Picanto | 01/2017-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| KIA | Rio | 01/2007-12/2011 | Lo Line 315MHz | JB | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Rio | 01/2012-06/2019 | 315MHz | UB | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Rondo | 01/2006-12/2011 | 315MHz | UN | ● | C | 315Mhz | Lear | ● | ● |
| KIA | Rondo | 01/2013-06/2019 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| KIA | Sedona | 01/2006-12/2008 | 315MHz | VQ | ● | C | 315Mhz | Beru | ● | ● |
| KIA | Sedona | 01/2009-12/2014 | 315MHz | VQ | ● | C | 315Mhz | Lear | ● | ● |
| KIA | Sedona | 01/2015-12/2019 | 433MHz | YP | ● | C | 433Mhz | Schrader | ● | ● |
| KIA | Sorento | 01/2005-12/2007 | BL 315MHz | BL | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sorento | 01/2008-12/2008 | BL 315MHz | BL | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sorento | 01/2009-12/2010 | BL/XM 315MHz | BL/XM | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sorento | 01/2011-12/2015 | 315MHz | XM | ● | C | 315Mhz | Continental | ● | ● |
| KIA | Sorento | 01/2016-12/2017 | 433MHz | UMA | ● | C | 433Mhz | Continental | ● | ● |
| KIA | Soul | 01/2010-10/2013 | 315MHz | AM | ● | C | 315Mhz | Continental | ● | ● |
| KIA | Soul | 11/2013-12/2019 | 433MHz | PS | ● | C | 433Mhz | Schrader | ● | ● |
| KIA | Spectra | 01/2006-12/2009 | Lo Line 315MHz | LD | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Spectra | 01/2010-12/2011 | Lo Line 315MHz | LD | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sportage | 01/2005-12/2007 | Lo Line 315MHz | KM | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sportage | 01/2008-12/2008 | Lo Line 315MHz | KM | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sportage | 01/2014-12/2014 | 315MHz | SL | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sportage | 01/2015-12/2016 | 315MHz | SL | ● | C | 315Mhz | TRW | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|-------------|---------------------------|-----------------|----------------|------------|--------------------|---|-----------|---------------------|------------------------------|---------------------------|
| KIA | Sportage | 01/2017-12/2019 | 433MHZ | QL | ● | C | 433MHz | Continental | ● | ● |
| KIA | Sportage | 01/2011-12/2013 | Lo Line 315MHz | KM/SL | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Sportage | 01/2009-12/2010 | Lo Line 315MHz | KM/SL | ● | C | 315Mhz | TRW | ● | ● |
| KIA | Tuscany | 01/2007-12/2008 | 315Mhz | YN | ● | C | 315Mhz | TRW | ● | ● |
| Kia | Cadenza | 01/2017-12/2019 | 433MHZ | | ● | C | 433MHz | Continental | ● | ● |
| Kia | Cadenza | 01/2014-12/2016 | 433MHZ | | ● | C | 433MHz | Continental | ● | ● |
| Kia | K7 | 01/2010-12/2012 | 433MHZ | VG | ● | C | 433MHz | Continental | ● | ● |
| Kia | K7 | 01/2013-12/2015 | 433MHZ | VG | ● | C | 433MHz | Continental | ● | ● |
| Kia | K7 | 01/2016-06/2019 | 433MHZ | YG | ● | C | 433MHz | Continental | ● | ● |
| Kia | Sorento | 01/2018-12/2019 | 433MHZ | UMA | ● | C | 433MHz | Continental | ● | ● |
| Kia | Stinger | 10/2017-06/2019 | 433Mhz | CK | ● | C | 433Mhz | Schrader | ● | ● |
| Lamborghini | 140 Gallardo Superleggera | 01/2012-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Lamborghini | Aventador | 01/2012-06/2019 | 433Mhz | LB834 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Lamborghini | Gallardo | 01/2007-12/2013 | 433MHZ | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Lamborghini | Huracan | 01/2014-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Lamborghini | Huracan | 01/2015-01/2016 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Lamborghini | Murcielago | 01/2007-12/2011 | 433MHZ | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Lamborghini | Reventon | 01/2008-12/2010 | 433MHZ | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Land Rover | Defender | 01/2015-12/2015 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Discovery | 01/2016-06/2019 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Discovery | 01/2017-06/2019 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Discovery Sport | 01/2015-08/2015 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Discovery Sport | 09/2015-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR2 | 01/2010-12/2015 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR2 | 01/2008-12/2009 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR2 | 01/2008-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | LR3 | 01/2006-12/2009 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR3 | 01/2010-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | LR3 | 01/2010-12/2014 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR3 | 01/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | LR3 | 01/2002-12/2005 | 433MHZ | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Land Rover | LR4 | 01/2010-12/2016 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | LR4 | 01/2010-12/2016 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2005-12/2006 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2006-12/2006 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2007-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2007-12/2013 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2010-12/2013 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2014-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2014-12/2016 | 433MHZ | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover | 03/2002-12/2004 | 433Mhz | L30 | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------------|--------------------------|-----------------|-------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Land Rover | Range Rover Evoque | 01/2011-12/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 01/2018-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 01/2015-12/2016 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover Evoque | 01/2014-12/2017 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Grand Evoque | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2006-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2010-12/2013 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2010-12/2013 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2014-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2014-12/2015 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Sport | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Land Rover | Range Rover Velar | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Lexus | CT Series | 01/2011-12/2015 | PMV107J 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | CT Series | 06/2013-06/2019 | PMVC010 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | ES Series | 08/2006-06/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | ES Series | 06/2018-06/2019 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | ES Series | 07/2012-05/2018 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | GS Series | 04/2012-12/2019 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | GS Series | 01/2012-06/2019 | 433Mhz | 920L | ● | C | 433Mhz | Pacific | ● | ● |
| Lexus | GS Series | 01/2005-03/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | GX Series | 04/2012-06/2019 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | GX Series | 01/2004-03/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | HS 250h | 01/2010-12/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | IS Series | 01/2006-03/2013 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | IS Series | 07/2013-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LC Series | 01/2018-06/2019 | 433MHz | | ● | C | 433MHz | Pacific | ● | ● |
| Lexus | LC Series | 01/2018-06/2019 | 315Mhz | | ● | C | 315MHz | Pacific | ● | ● |
| Lexus | LFA | 01/2012-12/2013 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LS Series | 01/2007-12/2013 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LS Series | 01/2014-12/2018 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LX Series | 01/2005-12/2015 | PMV107J 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LX Series | 01/2013-12/2015 | PMVC010 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | LX Series | 01/2016-12/2018 | 315Mhz | | ● | C | 315MHz | Pacific | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|---------|-------------|-----------------|-------------------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Lexus | NX Series | 01/2014-12/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | RC Series | 01/2015-12/2019 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | RX Series | 01/2006-06/2013 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | RX Series | 07/2013-11/2015 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lexus | RX Series | 12/2015-12/2018 | 315MHZ | | ● | C | 315MHZ | Pacific | ● | ● |
| Lexus | SC Series | 01/2007-12/2010 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Lincoln | Aviator | 01/2003-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Aviator | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Aviator | 01/2005-12/2005 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | CUV | 01/2014-12/2018 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | Continental | 01/2017-12/2017 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | Continental | 01/2017-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Continental | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Lincoln | MKC | 01/2015-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKC | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Lincoln | MKC | 01/2016-12/2017 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKC | 06/2015-12/2018 | 433MHz | 2. OF SEL | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2013-12/2015 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKS | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2016-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2016-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKS | 01/2017-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKT | 01/2011-05/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2016-06/2019 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2018-06/2019 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2013-12/2015 | 433Mhz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKT | 06/2011-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKT | 01/2016-12/2017 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKX | 01/2007-12/2007 | no Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKX | 01/2008-12/2010 | no Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKX | 01/2008-12/2010 | with Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKX | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKX | 01/2012-12/2012 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKX | 01/2013-07/2015 | 433MHz | | ● | S | 433MHZ | Schrader | ● | ● |
| Lincoln | MKX | 01/2013-12/2015 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKX | 01/2016-06/2019 | 315Mhz | | ● | S | 315Mhz | Schrader | ● | ● |
| Lincoln | MKX | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|-----------|-----------------|-------------------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Lincoln | MKX | 01/2007-12/2007 | with Chrome rims 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Lincoln | MKX | 07/2015-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKZ | 01/2013-12/2016 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | MKZ | 01/2017-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Lincoln | MKZ | 01/2007-12/2007 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | MKZ | 01/2016-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | MKZ | 01/2008-12/2009 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | MKZ | 01/2010-12/2012 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Mark LT | 01/2013-12/2014 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Mark LT | 01/2015-12/2016 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Mark LT | 01/2009-12/2009 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Mark LT | 01/2007-12/2008 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Navigator | 01/2003-12/2003 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2005-12/2006 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2007-12/2007 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Navigator | 01/2008-12/2010 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Navigator | 01/2011-12/2011 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2012-12/2014 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2013-12/2014 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2015-12/2015 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2015-12/2015 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2016-12/2017 | 315Mhz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2016-12/2018 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Navigator | 01/2018-06/2019 | 315MHz | | ● | S | 315MHZ | Schrader | ● | ● |
| Lincoln | Navigator | 01/2004-12/2004 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Lincoln | Town Car | 01/2006-12/2007 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Town Car | 01/2008-12/2008 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Town Car | 01/2009-12/2009 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Town Car | 01/2010-12/2011 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lincoln | Town Car | 01/2012-12/2012 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Lincoln | Zephyr | 01/2006-12/2006 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Lotus | 3 Eleven | 01/2014-12/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Lotus | Elise | 01/2008-12/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Lotus | Evora | 01/2010-12/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Lotus | Exige | 01/2008-12/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Luxgen | M7 | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | S3 | 01/2016-12/2018 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | S5 | 01/2016-12/2018 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | U5 | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | U6 | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | U7 | 01/2016-06/2019 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| Luxgen | V7 | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | TTE | ● | ● |
| MG | GS | 01/2017-12/2018 | 433MHz | | ● | A | 433Mhz | Baolong | ● | ● |
| MG | ZS | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Baolong | ● | ● |
| Maserati | Coupe | 04/2004-06/2009 | 433MHz | M145 | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|--------------|-----------------|---------------|---------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Maserati | Coupe | 07/2009-12/2013 | 433MHz | M145 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Maserati | Ghibli | 01/2013-06/2019 | 433MHz | M156/ M157 | ● | A | 433Mhz | Schrader | ● | ● |
| Maserati | GranCabrio | 01/2010-12/2013 | 433MHz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Maserati | GranSport | 01/2005-12/2006 | 433MHz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Maserati | GranTurismo | 01/2008-12/2010 | 433MHz | M145 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Maserati | GranTurismo | 01/2011-12/2016 | 433MHz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Maserati | GranTurismo | 01/2012-12/2015 | 315MHz | M145 GL | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Maserati | Levante | 01/2015-06/2019 | 433MHz | M161 | ● | A | 433Mhz | Schrader | ● | ● |
| Maserati | Quattroporte | 01/2004-12/2010 | 433MHz | M139 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Maserati | Quattroporte | 01/2011-12/2012 | 315MHz | M139 | ● | C | 315Mhz | Huf/Beru | ● | ● |
| Maserati | Quattroporte | 01/2011-12/2013 | 433MHz | M139 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Maserati | Quattroporte | 01/2013-06/2019 | 433MHz | M156 | ● | A | 433Mhz | Schrader | ● | ● |
| Maserati | Spyder | 01/2002-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Maybach | Landulet | 01/2009-12/2012 | 315MHz | | ● | S | 315Mhz | Huf/Beru | ● | ● |
| Maybach | Maybach 57 | 01/2002-12/2012 | 315MHz | | ● | S | 315Mhz | Huf/Beru | ● | ● |
| Maybach | Maybach 57 | 02/2002-12/2013 | 433Mhz | Ma007 | ● | S | 433Mhz | Huf/Beru | ● | ● |
| Maybach | Maybach 62 | 01/2002-12/2012 | 315MHz | | ● | S | 315Mhz | Huf/Beru | ● | ● |
| Maybach | Maybach 62 | 02/2002-12/2013 | 433Mhz | Ma007 | ● | S | 433Mhz | Huf/Beru | ● | ● |
| Mazda | Atenza | 01/2016-12/2018 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mazda | BT Pickup | 01/2006-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mazda | BT Pickup | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mazda | CX-3 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | CX-5 | 01/2016-12/2018 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | CX-5 | 01/2017-06/2019 | Direct 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | CX-5 | 01/2013-12/2015 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | CX-6 | 01/2014-12/2015 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | CX-7 | 01/2007-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | CX-7 | 01/2010-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | CX-7 | 01/2011-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | CX-9 | 01/2007-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | CX-9 | 01/2013-12/2018 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | MX-5 Miata | 01/2006-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | MX-5 Miata | 01/2016-12/2018 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | Mazda 2 | 06/2014-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 2 | 01/2011-05/2014 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2004-12/2004 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2005-12/2006 | 315MHz | | ● | A | 315MHz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2007-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2010-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2011-12/2013 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 3 | 01/2014-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | Mazda 5 | 01/2006-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 5 | 01/2008-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 5 | 01/2011-12/2015 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|----------|------------|-----------------|----------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Mazda | Mazda 6 | 01/2005-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 6 | 01/2008-12/2008 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 6 | 01/2009-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 6 | 01/2011-12/2013 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Mazda 6 | 01/2014-12/2018 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mazda | RX-8 | 01/2004-12/2004 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | RX-8 | 01/2005-12/2008 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | RX-8 | 01/2009-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | RX-8 | 01/2011-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Speed 3 | 01/2007-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Speed 6 | 01/2007-12/2008 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mazda | Tribute | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mazda | Tribute | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mazda | Tribute | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mazda | Tribute | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mazda | Tribute | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| McLaren | 500 Series | 01/2015-12/2016 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| McLaren | 500 Series | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| McLaren | 600 Series | 03/2014-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| McLaren | 700 Series | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| McLaren | MP4-12C | 06/2011-04/2014 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| McLaren | P1 | 01/2013-12/2015 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | A Class | 04/2014-02/2018 | 433Mhz | W176 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | A Class | 03/2018-06/2019 | 433Mhz | W176 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | AMG | 01/2016-06/2018 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | B Class | 01/2014-06/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | C Class | 01/2007-08/2014 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | C Class | 09/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | CL Class | 01/2000-12/2006 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | CL Class | 01/2000-12/2006 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | CL Class | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | CL Class | 01/2007-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | CL Class | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | CLA Class | 01/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | CLK Class | 01/2006-12/2009 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | CLK Class | 01/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | CLS Class | 01/2006-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | CLS Class | 01/2006-12/2011 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | CLS Class | 01/2012-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | CLS Class | 01/2018-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | E Class | 01/2017-06/2019 | W213/BR207 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | E Class | 06/2010-12/2018 | W212 | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | E Class | 01/2000-12/2005 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | E Class | 01/2000-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | E Class | 01/2006-05/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|----------|-------------|-----------------|---------|------------|--------------------|---|-----------|--------------------|------------------------------|---------------------------|
| Mercedes | E Class | 01/2006-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | G Class | 01/2007-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | G Class | 01/2018-06/2019 | 433Mhz | G463/461 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GL Class | 04/2006-09/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | GL Class | 01/2007-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | GL Class | 10/2009-06/2018 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GLA Class | 01/2014-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GLA Class | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Mercedes | GLC Class | 01/2016-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Mercedes | GLE Class | 01/2016-06/2019 | 433Mhz | X166 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GLK Class | 01/2010-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GLS Class | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | GLT | 06/2017-06/2019 | 433Mhz | | ● | C | 433Mhz | Pacific | ● | ● |
| Mercedes | GT-S | 01/2016-06/2019 | 433Mhz | X166 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | M Class | 01/2005-05/2011 | 433Mhz | W164 | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | M Class | 01/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | ML Class | 01/2006-05/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | ML Class | 01/2006-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | ML Class | 06/2010-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | ML Class | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | Metris | 01/2015-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | R Class | 01/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | R Class | 01/2006-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | R Class | 01/2010-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | S Class | 01/2000-03/2006 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | S Class | 01/2000-12/2006 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | S Class | 04/2006-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | S Class | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | S Class | 01/2010-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | S Class | 01/2018-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | SL Class | 01/2018-06/2019 | 433MHz | R172 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | SL Class | 01/2000-05/2005 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | SL Class | 01/2000-12/2005 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | SL Class | 06/2005-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | SL Class | 01/2006-06/2012 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | SL Class | 07/2012-12/2017 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | SLC Class | 01/2016-06/2019 | 433MHz | R172 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | SLK Class | 01/2008-12/2016 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | SLR Class | 01/2000-12/2007 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | SLR Class | 01/2001-12/2007 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | SLR Class | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mercedes | SLR Class | 01/2008-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Mercedes | SLR McLaren | 01/2004-12/2007 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Mercedes | SLR McLaren | 01/2004-12/2011 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mercedes | SLR McLaren | 01/2008-12/2009 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|----------|---------------|-----------------|------------|------------|--------------------|---|-----------|---------------------|------------------------------|---------------------------|
| Mercedes | SLS Class | 01/2011-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | Sprinter | 01/2018-06/2019 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Mercedes | Sprinter | 01/2010-12/2017 | 433MHz | | ● | S | 433Mhz | Schrader | ● | ● |
| Mercedes | Sprinter | 01/2007-12/2014 | 315MHz | | ● | S | 315MHz | Continental | ● | ● |
| Mercedes | V 250D | 01/2016-12/2017 | 433MHz | W447 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | V Class | 01/2014-06/2019 | 433MHz | W447 | ● | A | 433Mhz | Schrader | ● | ● |
| Mercedes | X Class | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Pacific | ● | ● |
| Mercury | Grand Marquis | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Grand Marquis | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Grand Marquis | 01/2009-12/2011 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Mariner | 01/2005-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Mariner | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Mariner | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mercury | Mariner | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mercury | Mariner | 01/2011-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mercury | Milan | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Milan | 01/2010-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mercury | Montego | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Monterey | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Monterey | 01/2005-12/2005 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mercury | Monterey | 01/2004-12/2004 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Mercury | Monterey | 01/2004-12/2004 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mercury | Monterey | 01/2005-12/2005 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Mercury | Mountaineer | 01/2002-12/2003 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Mercury | Mountaineer | 01/2004-12/2004 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Mercury | Mountaineer | 01/2005-12/2005 | 433MHz | | ● | S | 433MHz | Schrader | ● | ● |
| Mercury | Mountaineer | 01/2006-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Mountaineer | 01/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mercury | Sable | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Mini | Cabrio | 01/2004-12/2006 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mini | Cabrio | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Cabrio | 01/2010-06/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Cabrio | 07/2014-12/2015 | R57 433MHz | R57 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Cabrio | 01/2016-06/2019 | F57 433MHz | F57 | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Clubman | 01/2007-12/2008 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Clubman | 01/2009-10/2013 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Clubman | 11/2013-06/2019 | 433Mhz | F54 | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Clubvan | 01/2016-06/2019 | | F54 | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Cooper | 01/2007-12/2009 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Cooper | 01/2010-02/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Cooper | 03/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Countryman | 01/2009-06/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Countryman | 07/2014-12/2018 | 433MHz | R60 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Countryman | 02/2017-06/2019 | 433MHz | F60 | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Coupe | 01/2012-12/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------------|-----------------|-----------------|--------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Mini | Coupe | 01/2015-12/2016 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Hardtop | 01/2004-12/2006 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Mini | Hardtop | 01/2007-12/2009 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Hardtop | 01/2010-12/2016 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Hatchback | 11/2013-12/2017 | 433Mhz | F56 | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Paceman | 07/2018-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Mini | Paceman | 07/2014-06/2018 | 433Mhz | R61 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Paceman | 01/2009-06/2014 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Roadster | 01/2012-12/2014 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mini | Roadster | 01/2015-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Mitsubishi | Eclipse | 01/2006-12/2009 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Eclipse | 01/2010-12/2012 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Eclipse | 01/2018-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Endeavor | 01/2004-12/2007 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Mitsubishi | Endeavor | 01/2007-08/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Endeavor | 09/2010-12/2012 | Alloy 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Endeavor | 09/2010-12/2012 | Steel 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Galant | 01/2004-12/2006 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Mitsubishi | Galant | 01/2007-12/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Galant | 01/2011-12/2013 | Alloy 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Galant | 01/2011-12/2013 | Steel 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Lancer | 01/2008-12/2010 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Lancer | 01/2011-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Mirage | 01/2014-12/2017 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Mirage | 01/2018-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Montero | 01/2003-12/2006 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | Outlander | 01/2006-12/2010 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Outlander | 01/2011-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Outlander Sport | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Pajero | 07/2014-06/2019 | 433Mhz | V80 | ● | C | 433Mhz | Continental | ● | ● |
| Mitsubishi | RVR | 01/2010-06/2019 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Mitsubishi | Raider | 01/2008-12/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Mitsubishi | i-MiEV | 01/2010-12/2016 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | 350Z | 01/2003-12/2006 | 315MHz | Z33 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | 350Z | 01/2007-12/2009 | 315MHz | Z33 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | 370Z | 01/2009-04/2010 | 315MHz | Z34 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | 370Z | 05/2010-06/2019 | 315MHz | Z34 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | Altima | 01/2006-06/2012 | 315MHz | L32 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Altima Coupe | 01/2012-12/2014 | 315MHz | L33 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Altima Sedan | 07/2012-06/2019 | 433MHz | L33 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Armada | 06/2017-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Nissan | Armada | 01/2017-12/2017 | 433MHz | Y62 | ● | C | 433MHz | Pacific | ● | ● |
| Nissan | Armada | 01/2009-12/2016 | 315MHz | TA60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Armada | 01/2004-12/2006 | Steel 315MHz | TA60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Armada | 01/2004-12/2006 | Alloy 315MHz | TA60 | ● | C | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|------------------|-----------------|---------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Nissan | Armada | 01/2007-12/2008 | 315MHz | TA60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Armada GCC | 01/2013-12/2014 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Nissan | Cube | 01/2009-12/2015 | Standard key 315MHz | Z12 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Cube | 01/2011-12/2015 | Smart key 315MHz | Z12 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | FUGA | 01/2003-12/2007 | 315MHz | Y50 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2003-12/2004 | 315MHz | D22 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2005-12/2007 | 315MHz | D40 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2008-12/2008 | Steel 315MHz | D40 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2008-12/2008 | Alloy 315MHz | D40 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2009-12/2015 | 315MHz | D40 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Frontier | 01/2016-06/2019 | 315MHz | D40 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | GT-R | 01/2009-06/2019 | 315MHz | R35 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Juke | 01/2011-12/2016 | Standard key 315MHz | F15 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Juke | 01/2011-06/2019 | Smart key 315MHz | F15 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | Leaf | 01/2013-06/2019 | 315MHz | ZE0 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Leaf | 01/2018-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Leaf | 01/2011-12/2012 | 315MHz | ZE0 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | Leaf Korea | 01/2015-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Maxima | 01/2006-12/2006 | 315MHz | A34 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Maxima | 01/2007-12/2007 | Alloy 315MHz | A34 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Maxima | 01/2007-12/2007 | Steel 315MHz | A34 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Maxima | 01/2008-12/2011 | 315MHz | A35 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Maxima | 01/2012-12/2014 | 315MHz | A35 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Maxima | 01/2015-12/2015 | 315MHz | A35 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Maxima | 01/2016-06/2019 | 433Mhz | A36 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Maxima GCC | 01/2013-12/2014 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Nissan | Micra | 01/2014-06/2019 | 433MHz | K13 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Murano | 01/2003-12/2006 | 315MHz | Z50 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Murano | 01/2007-12/2014 | 315MHz | Z51 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Murano | 01/2015-06/2019 | 433MHz | Z52 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | NV1500/2500/3500 | 01/2012-06/2019 | 315MHz | F80 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | NV200 | 01/2013-06/2019 | 315MHz | M20 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Pathfinder | 01/2003-12/2003 | 315MHz | R50 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Pathfinder | 01/2004-12/2006 | 315MHz | R51 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Pathfinder | 01/2007-12/2012 | 315MHz | R51 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Pathfinder | 01/2013-06/2019 | 433MHz | R52 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Patrol | 01/2008-12/2010 | 433MHz | Y61 | ● | C | 433Mhz | Pacific | ● | ● |
| Nissan | Patrol | 01/2016-06/2019 | 433MHz | Y62 | ● | C | 433Mhz | Pacific | ● | ● |
| Nissan | Quest | 01/2011-06/2019 | 315MHz | E52 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | Quest | 01/2004-12/2004 | 315MHz | V42 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Quest | 01/2005-12/2007 | Steel 315MHz | V42 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Quest | 01/2005-12/2007 | Alloy 315MHz | V42 | ● | C | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|------------|--------------|-----------------|---------------------|------------|--------------------|---|-----------|---------------------|------------------------------|---------------------------|
| Nissan | Quest | 01/2008-12/2010 | 315MHz | V42 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Rogue | 01/2008-12/2013 | Alloy 315MHz | S35 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Rogue | 01/2008-12/2013 | Steel 315MHz | S35 | ● | C | 315MHz | Pacific | ● | ● |
| Nissan | Rogue | 01/2014-06/2019 | 433MHz | T32 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Rogue | 10/2015-12/2016 | Korean 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Rogue Select | 01/2014-12/2015 | 433MHz | S35 | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Rogue Select | 01/2014-06/2019 | 315MHz | S35 | ● | C | 315Mhz | Pacific | ● | ● |
| Nissan | Rogue Sport | 01/2017-06/2019 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Nissan | Sentra | 01/2007-12/2012 | 315MHz | B16 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Sentra | 01/2013-12/2016 | Standard key 315MHz | B17 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Sentra | 01/2013-06/2019 | Smart key 315MHz | B17 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Terra | 01/2018-06/2019 | 433MHz | Y62 | ● | C | 433Mhz | Pacific | ● | ● |
| Nissan | Titan | 01/2004-12/2007 | 315MHz | A60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Titan | 01/2008-12/2008 | Alloy 315MHz | A60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Titan | 01/2008-12/2008 | Steel 315MHz | A60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Titan | 01/2009-12/2015 | 315MHz | A60 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Titan | 01/2016-12/2016 | 433MHZ | | ● | C | 433MHZ | Pacific | ● | ● |
| Nissan | Titan | 01/2016-12/2016 | 315MHz | A61 | ● | C | 315MHZ | Pacific | ● | ● |
| Nissan | Titan | 01/2017-06/2019 | 433MHZ | | ● | C | 433MHZ | Pacific | ● | ● |
| Nissan | Titan Pro 4X | 01/2014-12/2014 | 315MHz | B17 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Versa | 01/2012-12/2016 | Smart key 315MHz | N17 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Versa | 01/2013-06/2019 | Standard key 315MHz | N17 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Versa | 01/2017-06/2019 | Smart key 433MHz | N17 | ● | C | 433Mhz | Schrader | ● | ● |
| Nissan | Versa | 01/2009-12/2012 | 315MHz | SC11 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Versa | 01/2007-12/2008 | Alloy 315MHz | SC11 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Versa | 01/2007-12/2008 | Steel 315MHz | SC11 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Xterra | 01/2003-12/2004 | 315MHz | WD22 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Xterra | 01/2005-12/2011 | 315MHz | N50 | ● | C | 315Mhz | Schrader | ● | ● |
| Nissan | Xterra | 01/2012-12/2015 | 433MHZ | | ● | C | 433MHZ | Schrader | ● | ● |
| Nissan | Xterra | 01/2012-12/2015 | 315MHz | N50 | ● | C | 315Mhz | Continental | ● | ● |
| Nissan | Xterra | 01/2016-06/2018 | 315MHz | N50 | ● | C | 315Mhz | Schrader | ● | ● |
| Oldsmobile | Alero | 01/1999-12/2000 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Oldsmobile | Aurora | 01/2001-12/2003 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Pontiac | Bonneville | 01/2000-12/2005 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Pontiac | G3 | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | G5 | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | G5 | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | G6 | 01/2008-12/2008 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | G6 | 01/2008-12/2008 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | G6 | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool 1) |
|---------|-------------|-----------------|-----------------|------------|--------------------|---|-----------|---------------------|------------------------------|---------------------------|
| Pontiac | G8 | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | G8 | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | Grand Am | 01/1999-12/2002 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Pontiac | Grand Prix | 01/2004-12/2006 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Pontiac | Grand Prix | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Grand Prix | 01/2008-12/2008 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | Grand Prix | 01/2008-12/2008 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Montana | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Pontiac | Solstice | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Solstice | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Solstice | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Torrent | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Torrent | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Pontiac | Vibe | 01/2005-12/2007 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Pontiac | Vibe | 01/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Pacific | ● | ● |
| Pontiac | Wave | 01/2007-12/2009 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Porsche | 911 | 01/2013-12/2016 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 | 02/2012-12/2016 | 433MHz | 991 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 | 01/2005-12/2012 | 315MHz | 997 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 | 01/2005-01/2012 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (991) | 12/2011-06/2019 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (997) | 01/2005-12/2008 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (997) | 02/2005-03/2008 | 433MHz | 997 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (997) | 04/2008-08/2015 | 433MHz | 997 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (997) | 01/2009-12/2011 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (997) | 09/2015-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (Turbo) | 01/2007-12/2009 | 315MHz | 997 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (Turbo) | 01/2007-12/2009 | 433MHz | 997 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (Turbo) | 01/2010-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | 911 (Turbo) | 01/2010-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | 918 Spyder | 01/2013-12/2015 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 01/2004-12/2008 | 315MHz | 987 | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 02/2005-12/2008 | 433MHz | 987 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 01/2009-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 01/2012-12/2016 | 433MHz | 981 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 01/2013-12/2016 | 315MHz | 2. 7L | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 03/2016-06/2019 | 433Mhz | 982 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Boxster | 01/2009-12/2011 | 433MHz | 987 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Carrera GT | 09/2003-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2002-12/2006 | 433MHz | 9PA | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2002-12/2006 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2007-12/2010 | 433MHz | 9PA1 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2007-12/2010 | 315MHz | 9PA1 | ● | A | 315Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------------|----------------|-----------------|------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Porsche | Cayenne | 09/2010-12/2016 | 315MHz | 92A | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2011-12/2012 | 433MHz | 92A | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 01/2013-10/2014 | 433MHz | 92A | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne | 11/2014-06/2019 | 433MHz | 92A | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne S | 01/2008-12/2009 | 315MHz | 4. 8L | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne S | 01/2010-12/2012 | 315MHz | 4. 8L | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne S | 01/2010-05/2014 | 433MHz | 4. 8L | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayenne S | 06/2014-12/2016 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2013-12/2016 | 315MHz | 2. 7L | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2012-12/2016 | 433MHz | 981 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2009-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2005-12/2008 | 433MHz | 987 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2005-12/2008 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman | 01/2009-12/2011 | 433MHz | 987 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Cayman (718) | 10/2016-06/2019 | 982 433MHz | 982 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | GT3 | 03/2006-12/2009 | 433Mhz | 996 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | GT3 | 01/2010-12/2016 | 433MHz | 996/997 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | GT3 | 01/2015-12/2015 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | GT3 | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | GT3 | 01/2007-12/2009 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Macan | 01/2014-12/2015 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Porsche | Macan | 01/2014-06/2019 | 433MHz | P0416 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Panamera | 01/2009-06/2013 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Panamera | 01/2010-12/2012 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Porsche | Panamera | 07/2013-06/2019 | 433MHz | 970 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Porsche | Panamera | 01/2014-12/2016 | 315MHz | | ● | A | 315MHz | Huf/Beru | ● | ● |
| Porsche | Panamera S | 06/2009-12/2013 | 315MHz | 4. 8L | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Renault Samsung | QM3 | 01/2014-12/2015 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Renault Samsung | QM5 | 01/2014-12/2015 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Renault Samsung | QM6 | 01/2016-12/2016 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Renault Samsung | SM3 | 01/2013-12/2015 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Renault Samsung | SM5 | 01/2013-12/2015 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Renault Samsung | SM6 | 01/2016-12/2016 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Renault Samsung | SM7 | 01/2013-12/2015 | 433Mhz | | ● | C | 433Mhz | Continental | ● | ● |
| Rolls Royce | Dawn | 01/2016-12/2018 | 433Mhz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Rolls Royce | Drophead Coupe | 01/2008-12/2017 | 433Mhz | RR02 | ○ | A | 433Mhz | Huf/Beru | Activate Only | ● |
| Rolls Royce | Ghost | 01/2009-12/2009 | 433Mhz | RR04 | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Rolls Royce | Ghost | 01/2011-12/2016 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Rolls Royce | Phantom | 01/2004-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------------|-------------|-----------------|-----------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Rolls Royce | Phantom | 01/2012-12/2016 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Rolls Royce | Phantom | 01/2017-12/2018 | PR11 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Rolls Royce | Wraith | 08/2013-06/2017 | 433Mhz | RR04 | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Saab | 9-3 | 01/2003-12/2007 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Saab | 9-3 | 01/2008-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Saab | 9-4X | 01/2011-12/2012 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Saab | 9-5 | 01/2003-12/2007 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Saab | 9-5 | 01/2008-12/2012 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Saab | 9-5 | 01/2010-12/2012 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Saab | 9-7X | 01/2005-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saab | 9-7X | 01/2008-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Astra | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Saturn | Astra | 01/2010-12/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Saturn | Astra | 01/2010-12/2010 | 433MHz | | ● | C | 433Mhz | Schrader | ● | ● |
| Saturn | Aura | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Saturn | Aura | 01/2008-12/2008 | Snap in 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Aura | 01/2008-12/2008 | Clamp in 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Saturn | Aura | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Aura Hybrid | 01/2007-12/2008 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Saturn | Aura Hybrid | 01/2009-12/2010 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Saturn | Lambda | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Outlook | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Saturn | Outlook | 01/2009-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Sky | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Saturn | Sky | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Continental | ● | ● |
| Saturn | Sky | 01/2010-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | VUE Hybrid | 01/2008-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | VUE Hybrid | 01/2009-12/2009 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Vue | 01/2007-12/2007 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Vue | 01/2008-10/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Saturn | Vue | 11/2008-12/2010 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Scion | FR-S | 01/2013-12/2016 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Scion | IQ | 01/2012-12/2015 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Scion | TC | 01/2006-12/2016 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Scion | XB | 01/2007-12/2016 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Scion | XD | 01/2008-12/2016 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Scion | iA | 01/2015-06/2017 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Scion | iM | 01/2015-12/2016 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Skoda | Octavia | 01/2015-06/2019 | | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Skoda | Octavia | 10/2012-12/2014 | | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Smart | 42 EV | 01/2013-12/2016 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Smart | Forfour | 01/2005-06/2019 | 433Mhz | A453 | ● | A | 433Mhz | Schrader | ● | ● |
| Smart | Fortwo | 01/2008-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Smart | Fortwo | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-----------|----------------|-----------------|-------------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Ssangyong | Actyon | 03/2014-06/2019 | QJ 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | C-CUV | 05/2015-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ssangyong | Chairman | 06/2014-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Korando | 01/2018-06/2019 | C300 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ssangyong | Korando | 08/2013-12/2017 | C200 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Kyron | 06/2014-06/2016 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | LUVi | 01/2016-06/2019 | X100 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ssangyong | Musso | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Nomad | 06/2014-12/2017 | 433Mhz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Rexton | 05/2014-12/2017 | Y300 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Rexton | 01/2018-06/2019 | Y400 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ssangyong | Rodius/Turismo | 05/2014-06/2019 | AJ 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Ssangyong | Tivoli | 06/2015-06/2019 | X100 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Ssangyong | XLV | 06/2016-06/2019 | XK 433MHz | | ● | A | 433MHz | Huf/Beru | ● | ● |
| Subaru | B9 Tribeca | 01/2006-12/2008 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | BRZ | 01/2013-06/2018 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Subaru | Crosstrek | 01/2016-12/2017 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Crosstrek | 01/2018-06/2019 | 433Mhz | HR3 | ● | C | 433Mhz | Schrader | ● | ● |
| Subaru | Forester | 01/2008-12/2015 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Forester | 01/2016-06/2019 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Impreza | 01/2008-12/2015 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Impreza | 01/2016-12/2017 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Impreza | 01/2017-06/2019 | 433Mhz | HR3 | ● | C | 433Mhz | Schrader | ● | ● |
| Subaru | Legacy | 01/2004-12/2007 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Legacy | 01/2008-12/2015 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Legacy | 01/2016-12/2017 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Legacy | 01/2018-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Subaru | Outback | 07/2015-12/2017 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Outback | 01/2008-6/2015 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Outback | 01/2018-06/2019 | 433Mhz | | ● | C | 433Mhz | Schrader | ● | ● |
| Subaru | Outback | 01/2004-12/2007 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | Tribeca | 01/2008-12/2014 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | WRX | 06/2014-12/2018 | 315Mhz | | ● | C | 315Mhz | Schrader | ● | ● |
| Subaru | XV Crosstrek | 01/2013-06/2019 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Suzuki | Equator | 01/2009-12/2013 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Suzuki | Forenza | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Suzuki | Grand Vitara | 01/2005-12/2014 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Suzuki | Kizashi | 01/2010-12/2013 | 315MHz | | ● | C | 315Mhz | Continental | ● | ● |
| Suzuki | Reno | 01/2007-12/2008 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Suzuki | SX4 | 01/2007-12/2014 | 315MHz | | ● | S | 315MHz | Schrader | ● | ● |
| Suzuki | Verona | 01/2005-12/2006 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Suzuki | XL-7 | 01/2005-06/2006 | 315MHz | | ● | C | 315Mhz | Schrader | ● | ● |
| Suzuki | XL-7 | 07/2006-12/2011 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Tesla | Model 3 | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Tesla | Model S | 01/2012-09/2014 | 433MHz | | ● | A | 433Mhz | Baolong | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|--------|--------------------|-----------------|---------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Tesla | Model S | 10/2014-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Tesla | Model X | 01/2016-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Tesla | Roadster | 01/2010-12/2012 | Baolong 433MHz | | ● | A | 433Mhz | Baolong | ● | ● |
| Tesla | Roadster | 01/2008-12/2010 | Huf 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Toyota | 4 Runner | 01/2003-08/2006 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | 4 Runner | 09/2006-12/2016 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | 4 Runner | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Avalon | 01/2007-12/2012 | Japan/USA 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Avalon | 01/2013-12/2015 | Hi/Lo Line 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Avalon | 01/2016-06/2019 | Hi/Lo Line 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | C-HR | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Camry | 01/2007-12/2011 | Japan/USA 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Camry | 01/2012-12/2017 | 315Mhz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Camry | 09/2014-12/2017 | SE 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Toyota | Corolla | 01/2006-12/2013 | Japan/USA 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Corolla | 01/2014-12/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Corolla iM | 01/2017-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Toyota | FJ Cruiser | 01/2007-12/2014 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | FJ Cruiser | 06/2014-06/2019 | 433MHz | 155L | ● | C | 433Mhz | Pacific | ● | ● |
| Toyota | FR-S | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | GT86 | 01/2017-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Toyota | Highlander | 01/2018-06/2019 | Smart Key 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Highlander | 01/2007-12/2013 | Japan/USA 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Highlander | 01/2014-12/2017 | Smart Key 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Highlander | 01/2014-06/2019 | Standard Key 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Land Cruiser | 01/2005-12/2005 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Land Cruiser | 01/2006-12/2014 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Land Cruiser | 01/2015-12/2015 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Land Cruiser | 01/2016-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Toyota | Land Cruiser Prado | 01/2014-06/2019 | 315MHz | | ● | C | 315MHz | Pacific | ● | ● |
| Toyota | Matrix | 01/2007-12/2014 | Japan/USA 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Mirai | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius | 01/2006-12/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius | 01/2013-12/2015 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius C | 01/2012-12/2017 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius Prime | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------------|----------|-----------------|---------------------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Toyota | Prius V | 01/2012-12/2016 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Prius V | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | RAV4 | 01/2006-12/2006 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | RAV4 | 01/2007-12/2012 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | RAV4 | 01/2013-06/2019 | Standard key 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | RAV4 | 01/2013-06/2019 | Smart key 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Sequoia | 01/2004-12/2007 | Alloy/Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Sequoia | 01/2008-12/2008 | Alloy/Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Sequoia | 01/2009-06/2019 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Sienna | 01/2006-06/2019 | 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Sienna | 01/2013-02/2016 | 433MHz | | ● | C | 433MHz | TRW | ● | ● |
| Toyota | Solara | 01/2006-12/2011 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tacoma | 01/2010-12/2015 | Alloy 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tacoma | 01/2010-12/2015 | Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tacoma | 01/2016-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tacoma | 01/2005-12/2009 | Alloy 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tacoma | 01/2005-12/2009 | Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tundra | 01/2018-12/2018 | Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Tundra | 01/2005-12/2006 | Steel 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tundra | 01/2005-12/2006 | Alloy 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Tundra | 01/2007-12/2011 | Alloy 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Tundra | 01/2007-12/2011 | Steel 315MHz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Tundra | 01/2012-12/2017 | 315Mhz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Tundra | 01/2018-12/2018 | Alloy 315Mhz | | ● | C | 315Mhz | TRW | ● | ● |
| Toyota | Venza | 01/2009-12/2015 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Vios | 01/2012-12/2017 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Yaris | 01/2007-12/2011 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Yaris | 01/2012-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| Toyota | Yaris iA | 01/2017-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Toyota | iA | 01/2017-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Toyota | iM | 01/2017-06/2019 | 315MHz | | ● | C | 315Mhz | Pacific | ● | ● |
| VPG | MV-1 | 01/2011-12/2016 | 315MHz | | ● | S | 315Mhz | Schrader | ● | ● |
| Venucia | T90 | 01/2017-12/2017 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Volkswagen | Arteon | 06/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Atlas | 01/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Atlas | 01/2017-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Volkswagen | CC | 01/2018-06/2019 | MQB 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | CC | 06/2011-06/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | CC | 01/2009-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Crafter | 04/2006-12/2016 | 433Mhz | VN830 | ● | A | 433Mhz | Schrader | ● | ● |
| Volkswagen | Crafter | 01/2017-12/2017 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | EOS | 01/2007-12/2017 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufactuer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|------------|------------|-----------------|----------|------------|--------------------|---|-----------|--------------------|------------------------------|-------------------------|
| Volkswagen | GLI | 01/2008-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | GTI | 01/2006-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | GTI | 01/2012-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Golf | 01/2009-12/2018 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Golf | 01/2006-12/2007 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Golf | 01/2010-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Golf | 01/2012-12/2012 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Golf | 01/2013-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Jetta | 01/2006-12/2012 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Jetta | 01/2011-12/2012 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Jetta | 01/2013-12/2018 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Jetta | 01/2013-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Magotan | 01/2017-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Magotan | 01/2015-12/2016 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volkswagen | Magotan | 01/2007-12/2013 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volkswagen | New Beetle | 01/2007-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | New Beetle | 01/2012-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Volkswagen | Passat | 01/2006-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Passat | 01/2011-12/2011 | 433MHz | | ● | C | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Passat | 01/2012-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Phaeton | 01/2003-05/2007 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Volkswagen | Phaeton | 01/2003-05/2007 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Phaeton | 06/2007-12/2010 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Phaeton | 06/2007-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Phaeton | 01/2011-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Phideon | 01/2016-06/2019 | 433Mhz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | R32 | 01/2008-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | R36 | 01/2009-12/2011 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volkswagen | Rabbit | 01/2006-12/2010 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Routan | 01/2005-12/2008 | 433MHz | | ● | C | 433Mhz | Continental | ● | ● |
| Volkswagen | Routan | 01/2009-12/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volkswagen | Routan | 01/2011-12/2015 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Volkswagen | Tiguan | 01/2009-12/2011 | 315MHz | | ● | A | 315Mhz | Continental | ● | ● |
| Volkswagen | Tiguan | 01/2011-06/2019 | Indirect | | ○ | S | N/A | N/A | Indirect | ● |
| Volkswagen | Tiguan | 01/2012-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Tiguan L | 01/2018-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touareg | 01/2002-12/2006 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touareg | 01/2007-12/2011 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touareg | 01/2007-12/2016 | 315MHz | | ● | A | 315Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touareg | 01/2012-07/2014 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touareg | 08/2014-06/2019 | 433Mhz | 7P5/7P6108 | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volkswagen | Touran L | 01/2018-06/2019 | 433MHz | | ● | A | 433Mhz | Huf/Beru | ● | ● |
| Volvo | C30 | 01/2006-12/2010 | 433MHz | Y279 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | C30 | 01/2011-12/2013 | 433MHz | Y279 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | C70 | 01/2006-12/2007 | 433MHz | V70064 | ● | A | 433Mhz | Continental | ● | ● |

| Make | Model | Year Range | Feature | Model code | Programming Status | Relearn Type (A=Automatic, S=Stationary, O=OBD, C=Copy) | Frequency | Sensor Manufacturer | Support by Autel (MX-Sensor) | Support by Autel (Tool) |
|-------|-------------------------|-----------------|----------|------------|--------------------|---|-----------|---------------------|------------------------------|-------------------------|
| Volvo | C70 | 01/2008-12/2010 | 433Mhz | V70064 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | C70 | 01/2011-06/2014 | 433Mhz | V70064 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S40 | 01/2004-12/2010 | 433Mhz | V40044 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S40 | 01/2011-06/2014 | 433Mhz | V40044 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S60 | 07/2000-02/2010 | 433Mhz | P24/V664 | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | S60 | 01/2004-12/2010 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | S60 | 01/2011-12/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S60 | 01/2015-06/2019 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S80 | 01/2004-12/2007 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | S80 | 01/2004-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S80 | 01/2010-06/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S80 | 07/2014-12/2016 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | S90 | 01/2016-06/2019 | 433Mhz | V541 | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | S90 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Volvo | V40 | 01/2012-06/2019 | 433Mhz | Y555, Y556 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V50 | 01/2005-12/2010 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V50 | 01/2011-12/2012 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V60 | 07/2014-10/2017 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V60 | 11/2017-06/2019 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V60 Cross Country Wagon | 01/2015-12/2016 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V70 | 01/2008-12/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | V70 | 01/2000-12/2007 | 433Mhz | Y285/V764 | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | V70 | 01/2000-12/2007 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | XC60 | 01/2009-12/2010 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | XC60 | 01/2009-06/2019 | 433Mhz | Y413 | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | XC60 | 01/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |
| Volvo | XC70 | 01/2008-12/2009 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | XC70 | 01/2003-12/2007 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | XC70 | 01/2003-12/2007 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | XC70 | 01/2010-12/2014 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | XC70 | 01/2015-12/2017 | 433Mhz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | XC90 | 01/2003-12/2007 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | XC90 | 01/2004-12/2014 | 315MHz | | ● | A | 315Mhz | Schrader | ● | ● |
| Volvo | XC90 | 01/2008-12/2008 | 433MHz | | ● | A | 433Mhz | Continental | ● | ● |
| Volvo | XC90 | 01/2015-06/2019 | 433MHz | | ● | A | 433Mhz | Schrader | ● | ● |
| Volvo | XC90 | 09/2016-06/2019 | Indirect | | ○ | A | N/A | N/A | Indirect | ● |